

A SUBSIDIARY OF DAMON



signed

As a member of the Estes Model Rocketry Program, I promise to faithfully follow all rules of safe conduct as established in the code.

PLEDGE

- Fold Here -

This identifies


as a member of the



SPACE PROGRAM

A handwritten signature in blue ink that reads "Vern Estes".

VERN ESTES, President



MODEL ROCKETRY

SAFETY CODE

- 1. Construction**—My model rockets will be made of lightweight materials such as paper, wood, plastic and rubber, without any metal as structural parts.
- 2. Engines**—I will use only pre-loaded factory made rocket engines in the manner recommended by the manufacturer. I will not change in any way nor attempt to reload these engines.
- 3. Recovery**—I will always use a recovery system in my model rockets that will return them safely to the ground so that they may be flown again.
- 4. Weight Limits**—My model rocket will weigh no more than 453 grams (16 oz.) at liftoff, and the engines will contain no more than 113 grams (4 oz.) of propellant.
- 5. Stability**—I will check the stability of my model rockets before their first flight, except when launching models of already proven stability.
- 6. Launching System**—The system I use to launch my model rockets must be remotely controlled and electrically operated, and will contain a switch that will return to "off" when released. I will remain at least 10 feet away from any rocket that is being launched.
- 7. Launch Safety**—I will not let anyone approach a model rocket on a launcher until I have made sure that either the safety interlock key has been removed or the battery has been disconnected from my launcher.
- 8. Flying Conditions**—I will not launch my model rocket in high winds, near buildings, power lines, tall trees, low flying aircraft, or under any conditions which might be dangerous to people or property.
- 9. Launch Area**—My model rockets will always be launched from a cleared area, free of any easy to burn materials, and I will only use non-flammable recovery wadding in my rockets.
- 10. Jet Deflector**—My launcher will have a jet deflector device to prevent the engine exhaust from hitting the ground directly.
- 11. Launch Rod**—To prevent accidental eye injury I will always place the launcher so the end of the rod is above eye level or cap the end of the rod with my hand when approaching it. I will never place my head or body over the launching rod. When my launcher is not in use I will always store it so that the launch rod is **not** in an upright position.
- 12. Power Lines**—I will never attempt to recover my rocket from a power line or other dangerous places.
- 13. Launch Targets & Angle**—I will not launch rockets so their flight path will carry them against targets on the ground, and will never use an explosive warhead nor a payload that is intended to be flammable. My launching device will always be pointed within 30 degrees of vertical.
- 14. Pre-Launch Test**—When conducting research activities with unproven designs or methods, I will, when possible, determine their reliability through pre-launch tests. I will conduct launchings of unproven designs in complete isolation from persons not participating in the actual launching.