



[www.  
estes  
rockets  
.com](http://www.estesrockets.com)

*World Leader in Model Rocketry*

2011

# TABLE OF CONTENTS

How To Start . . . . .	3	Ready To Fly Rockets . . . . .	16
What to Know . . . . .	4	E2X® (Easy To Assemble) . . . . .	20
Model Rocket Safety Code . . . . .	5	Skill Level 1 . . . . .	26
New . . . . .	6	Skill Level 2 . . . . .	40
Launch Sets . . . . .	6	Skill Level 3-4 . . . . .	46
Skill Level 1 . . . . .	6	How Model Rocket Engines Work . . . . .	48
Skill Level 2 . . . . .	6	Model Rocket Engines . . . . .	49
Skill Level 3 . . . . .	10	Engine Time/Thrust Curves . . . . .	50
Skill Level 4 . . . . .	10	Model Rocket Accessories . . . . .	51
Skill Level 5 . . . . .	10	Estes Educator™ Products . . . . .	52
Launch Sets . . . . .	12	Model Rocket Engine Bulk Packs . . . . .	55
<hr/>			
220 Swift™ . . . . .	26	Mega Mosquito™ . . . . .	10
Air Commander™ . . . . .	8	Metalizer™ . . . . .	22
Alien Invader™ . . . . .	44	Mini Honest John . . . . .	6
Alpha III® . . . . .	20	Mini Max™ . . . . .	32
Alpha III® Bulk Pack . . . . .	54	MIRV™ . . . . .	10
Alpha III® Launch Set . . . . .	12	Monarch™ . . . . .	38
Alpha® . . . . .	26	Mongoose™ . . . . .	30
Alpha® Bulk Pack . . . . .	55	Moon Mutt™ . . . . .	14
Astron Elliptic II™ . . . . .	8	No. 2 Estes Sky Writer® . . . . .	22
Athena™ . . . . .	18	Nova Payloader™ . . . . .	28
Baby Bertha™ . . . . .	26	Patriarch™ . . . . .	16
Bandito™ . . . . .	20	Payloader II™ . . . . .	32
Big Bertha® . . . . .	28	Phoenix Bird™ . . . . .	32
Big Daddy™ . . . . .	42	Photon Disruptor™ . . . . .	44
Blue Ninja™ . . . . .	22	Photon Probe™ . . . . .	44
Bull Pup 12D™ . . . . .	44	Plasma Probe™ . . . . .	38
CC Express™ . . . . .	40	Prospector™ . . . . .	18
Chrome Domes™ Gold Series . . . . .	24	Puma™ . . . . .	16
Chuter-Two™ . . . . .	32	QCC Explorer™ . . . . .	10
Code Red™ . . . . .	18	Quark™ . . . . .	26
Comanche-3™ . . . . .	46	Rascal™ . . . . .	16
Comet Chaser™ . . . . .	34	Rascal™ & Hijinks™ Launch Set . . . . .	14
Cosmic Cobra™ . . . . .	22	Reflector™ . . . . .	32
Cosmic Explorer™ . . . . .	30	Renegade-D™ . . . . .	46
Crossbow SST™ . . . . .	36	Ricochet™ . . . . .	36
Customizer™ Mini . . . . .	14	Riptide™ . . . . .	12
D-Region Tomahawk . . . . .	40	Satellite Interceptor™ . . . . .	44
Der Red Max™ . . . . .	26	Saturn V . . . . .	46
Dragonite™ . . . . .	24	Screaming Eagle® . . . . .	42
Eggscaliber™ . . . . .	42	Shuttle Xpress™ . . . . .	24
Eliminator™ . . . . .	40	Shuttle Xpress Launch Set . . . . .	6
EPM-010™ . . . . .	8	Sky Hawker™ . . . . .	16
Equinox™ . . . . .	34	Sky Loft™ . . . . .	14
EX-200™ . . . . .	18	SkyTrax™ . . . . .	18
Executioner™ . . . . .	46	Solar Flare™ . . . . .	42
Firehawk™ . . . . .	20	Solar Scouts™ . . . . .	12
Firestreak SST™ Bulk Pack . . . . .	54	Space Eagle™ . . . . .	36
Firestreak™ SST . . . . .	20	Star Stryker™ . . . . .	36
Flash®! . . . . .	14	Star Trooper™ . . . . .	34
Flutter-By™ . . . . .	32	Stormcaster™ . . . . .	28
Fuse™ . . . . .	18	Stratocruiser™ . . . . .	38
Fusion X25™ . . . . .	36	Summit™ . . . . .	18
Generic E2X® Bulk Pack . . . . .	54	Super Alpha™ . . . . .	38
Gnome™ . . . . .	20	Super Neon™ . . . . .	40
Gold Strike™ . . . . .	24	Super Neon XL™ . . . . .	46
Guardian™ . . . . .	42	Tandem-X™ . . . . .	12
HeliCat™ . . . . .	12	Taser™ . . . . .	14
Hi-Flier® . . . . .	30	Taser Twin™ . . . . .	34
Hijinks™ . . . . .	16	Twister™ . . . . .	34
Homet . . . . .	34	U.S. Army Patriot M-104 . . . . .	30
Hyper Bat™ . . . . .	8	UP Aerospace™ SpaceLoft™ Bulk Pack . . . . .	54
Interceptor® . . . . .	40	Vagabond™ . . . . .	8
Interceptor-E™ . . . . .	46	Vector Force™ . . . . .	38
Laser Lance™ . . . . .	8	Viking™ . . . . .	28
LoadStar™ . . . . .	18	Viking™ Bulk Pack . . . . .	55
Long Tom™ . . . . .	44	Wizard™ . . . . .	28
Magician™ . . . . .	46	Wizard™ Bulk Pack . . . . .	55
Maxi Alpha 3™ . . . . .	6	Xarconian Cruiser™ . . . . .	10
Maxi Alpha 3™ Launch Set . . . . .	6	Yankee™ . . . . .	28
Mean Machine™ . . . . .	40		

Prices and Availability are subject to change without notice. Color of product may vary.

© 2011 Estes-Cox Corp., 1295 H Street, PO Box 227, Penrose, CO 81240-0227. A subsidiary of Hobbico, Inc. All rights reserved. Printed in Denver, CO, USA. PN2927-11 (12-10)



## HOW DO I START MY OWN ESTES ROCKET FLEET?

The best way to begin model rocketry is with an Estes flying model rocket launch set. Most of our launch sets are from the E2X® (Easy To Assemble) line. The rocket itself requires minor assembly. All launch sets come with an electrical launch controller, adjustable launch pad and instructions to get you out and flying in no time. You will need to purchase flight supplies (engines, recovery wadding, igniters and igniter plugs) and four new AA batteries (for the controller) – sold separately.

## HOW EASY AND HOW MUCH TIME DOES IT TAKE TO BUILD MY ROCKETS?

Estes model rocket kits range from ready to fly in just minutes to those that provide many enjoyable hours of building fun. Estes kits are classified into seven categories.

**READY TO FLY (RTF):** No paint, glue or modeling skills required. Rocket comes assembled and is ready to launch in minutes.

**E2X® (EASY TO ASSEMBLE):** No paint or special tools needed. E2X® kits contain parts that are colored, easy to assemble, plastic fins or fin units and plastic nose cones. Glue the parts together as instructed, apply the self-stick decals and attach the recovery system.

**Skill Level 1:** Requires some painting, gluing and sanding. Features laser cut balsa fins, plastic or balsa nose cones, self-stick or waterslide decals, unfinished body tubes and step-by-step instructions. Most kits are single stage rockets.

**Skill Level 2:** First tier of more advanced kits that require beginner skills in model rocket construction, finishing and painting. Features laser cut balsa fins, plastic or balsa nose cones, self-stick or waterslide decals, unfinished body tubes and step-by-step instructions. These are unique designs that include multi-stages, payloads and scale models.

**Skill Level 3:** Second tier of more advanced kits that require moderate skills in model rocket construction, finishing and painting. Features multiple laser cut balsa fins and parts, unfinished body tubes, waterslide decals, balsa or plastic nose cones, vacuum-formed plastic detailing and step-by-step instructions. These complex designs include scale models, payloads and multi-stages that can use D and E engines.

**Skill Level 4:** Requires a high degree of construction and finishing skills. Features multiple laser cut balsa wood fins, vacuum-formed plastic detailing, unfinished body tubes and waterslide decals. Assembly can take several days depending on the details required.

**Skill Level 5:** The most advanced and challenging kit level. These kits are designed for very experienced, master modelers. Construction is extremely complex using advance wood, paper and plastic techniques. Finishing is detail-oriented that may involve elaborate paint schemes. Building and finishing these rockets can take up to a week or more.


## WHAT IS AN ESTES MODEL ROCKET?

Estes model rockets are activity kits designed of lightweight materials such as paper tubing, balsa wood and plastic. Fins attached to the body tube help provide guidance and stability. An engine mount assembly holds the engine in place during rocket flight in most models.

## HOW DOES IT WORK?

The Estes model rocket is propelled into the air by an electrically ignited model rocket engine. After its acceleration, the rocket continues upward emitting tracking smoke as it coasts. At the rocket's peak altitude (also called apogee), a recovery device, such as a parachute or streamer, is deployed to return the rocket gently to earth. The rocket can then be prepared for another flight.

## FLIGHT SEQUENCE



## WHERE DO I FLY ESTES MODEL ROCKETS?

The chart on page 5 tells you what size field to use for each size engine. Each engine size is designated by a letter and is up to twice as powerful as the letter before it. See the engine section (pages 48-50) of this catalog for more information.





## HOW DID IT ALL GET STARTED?


In the mid-1950s when the space age began, flying rockets became very popular. However, there were no propellants readily available to launch model rockets. In 1958 Vernon Estes developed the first, mass-produced model rocket engine. The Estes rocket engine was destined to make model rocketry one of the most popular outdoor activities enjoyed today. Estes products have changed with the times and you can see all of the exciting rockets in this catalog or on the web at [www.estesrockets.com](http://www.estesrockets.com).

## WHAT DO I NEED TO KNOW?

In this catalog, each description lists important INFORMATION:

- Specifications – length, diameter and estimated weight.
- What engines we recommend.
- How high, on the largest engine recommended, the rocket flies (feet and meters).
- Projected altitudes are estimates only and your rocket's actual performance may vary.
- The type of recovery system that brings the rocket back – parachute, streamer or other.

## PARTS OF A MODEL ROCKET



Model rocket kits are constructed of lightweight materials such as paper, balsa and plastic. This diagram shows how parts fit together. Nearly all Estes parts that have the same series description number fit together. For instance, a BT-20 body tube will fit a NC-20 nose cone. An AR2050 centering ring will center a BT-20 into a BT-50.


\* Not included in RTF or E2X® kits.

## PLEASE READ—IMPORTANT STUFF!

Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age. Unless otherwise specified, all models require assembly. Engines, recovery wadding, igniters and igniter plugs, launch system, glue and finishing supplies are not included with model rocket kits.

## USE ONLY WITH ESTES PRODUCTS

**Caution:** Use of any Estes product with any other brand-name rocket product containing any defect or causing any damage may void the Estes warranty.



## FULL ONE-YEAR WARRANTY

Your Estes product is warranted against defects in materials or workmanship for one year from the date of the original purchase. If this Estes product, because of a manufacturing mistake, malfunctions or proves to be defective within the one-year warranty period, it will be repaired or replaced, at Estes' option and at no charge to you, provided it is returned to Estes with proof of purchase.

This warranty does not cover incidental or consequential damage to persons or property caused by the use, abuse, misuse, failure to comply with operating instructions or improper storage of the warranted products. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.

For repair or replacement under this warranty, please contact us at [www.estesrockets.com](http://www.estesrockets.com) or by mail at Estes-Cox Corp., Customer Service Department, 1295 H Street, PO Box 227, Penrose, Colorado 81240-0227.

**1. Materials.** I will use only lightweight, non-metal parts for the nose, body, and fins of my rocket.

**2. Motors.** I will use only certified, commercially-made model rocket motors, and will not tamper with these motors or use them for any purposes except those recommended by the manufacturer.

**3. Ignition System.** I will launch my rockets with an electrical launch system and electrical motor igniters. My launch system will have a safety interlock in series with the launch switch, and will use a launch switch that returns to the "off" position when released.

**4. Misfires.** If my rocket does not launch when I press the button of my electrical launch system, I will remove the launcher's safety interlock or disconnect its battery, and will wait 60 seconds after the last launch attempt before allowing anyone to approach the rocket.

**5. Launch Safety.** I will use a countdown before launch, and will ensure that everyone is paying attention and is a safe distance of at least 15 feet away when I launch rockets with D motors or smaller, and 30 feet when I launch larger rockets. If I am uncertain about the safety or stability of an untested rocket, I will check the stability before flight and will fly it only after warning spectators and clearing them away to a safe distance.

**6. Launcher.** I will launch my rocket from a launch rod, tower, or rail that is pointed to within 30 degrees of the vertical to ensure that the rocket flies nearly straight up, and I will use a blast deflector to prevent the motor's exhaust from hitting the ground. To prevent accidental eye injury, I will place launchers so that the end of the

launch rod is above eye level or will cap the end of the rod when it is not in use.

**7. Size.** My model rocket will not weigh more than 1,500 grams (53 ounces) at liftoff and will not contain more than 125 grams (4.4 ounces) of propellant or 320 N-sec (71.9 pound-seconds) of total impulse.

**8. Flight Safety.** I will not launch my rocket at targets, into clouds, or near airplanes, and will not put any flammable or explosive payload in my rocket.

**9. Launch Site.** I will launch my rocket outdoors, in an open area at least as large as shown in the accompanying table, and in safe weather conditions with wind speeds no greater than 20 miles per hour. I will ensure that there is no dry grass close to the launch pad, and that the launch site does not present risk of grass fires.

### LAUNCH SITE DIMENSIONS

Installed Total Impulse (N-sec)	Equivalent Motor Type	Minimum Site Dimensions (ft.)
0.00-1.25	1/4A, 1/2A	50
1.26-2.50	A	100
2.51-5.00	B	200
5.01-10.00	C	400
10.01-20.00	D	500
20.01-40.00	E	1,000
40.01-80.00	F	1,000
80.01-160.00	G	1,000
160.01-320.00	Two Gs	1,500

**10. Recovery System.** I will use a recovery system such as a streamer or parachute in my rocket so that it returns safely and undamaged and can be flown again, and I will use only flame-resistant or fireproof recovery system wadding in my rocket.

**11. Recovery Safety.** I will not attempt to recover my rocket from power lines, tall trees, or other dangerous places.

[www.nar.org](http://www.nar.org)

Important Note: G engines must be sold to and used by adults (18 and up) only.

## E2X® (EASY TO ASSEMBLE) LAUNCH SETS

### 1462 SHUTTLE XPRESS LAUNCH SET\* \$29.99

Summer 2011  
Skill Level: E2X®  
Length: 17.7 in. (44.9 cm)  
Diameter: 1.33 in. (34 mm)  
Estimated Weight: 3.2 oz (90.7 g)  
Fins: Plastic  
Recovery: 12 in. (30.5 cm) Parachute, Shuttles - glide  
Projected Altitude: 600 ft. (183 m)  
Recommended Engines: B4-2 (First Flight), B4-4, B6-2, B6-4, C6-3, C6-5



### 1466 MAXI ALPHA 3™ LAUNCH SET\* \$44.99

Summer 2011  
Skill Level: E2X®  
Length: 33.25 in. (84.5 cm)  
Diameter: 2.6 in. (6.6 cm)  
Estimated Weight: 6.6 oz (187 g)  
Fins: Plastic  
Recovery: 24 in. (61 cm) Parachute  
Projected Altitude: 450 ft. (137 m)  
Recommended Engines: D12-3

\*Each Launch Set includes Estes Launch Pad and Controller (Engines and AA batteries required – sold separately)

## SKILL LEVEL 1 ROCKET KIT

### 2446 Mini Honest John \$11.99

Summer 2011  
Skill Level: 1  
Length: 11.75 in. (29.8 cm)  
Diameter: .98 in. (25 mm)  
Estimated Weight: 1.2 oz (34 g)  
Fins: Laser cut balsa  
Recovery: 12 in. (30.5 cm) Parachute  
Projected Altitude: 325 ft (99 m)  
Recommended Engines: 1/2A3-2T (First Flight), A3-4T, A10-3T

## SKILL LEVEL 2 ROCKET KIT

### 1903 MAXI ALPHA 3™ \$24.99

Spring 2011  
Skill Level: 2  
Length: 33.25 in. (84.5 cm)  
Diameter: 2.6 in. (6.6 cm)  
Estimated Weight: 6.6 oz (187 g)  
Fins: Plastic  
Recovery: 24 in. (61 cm) Parachute  
Projected Altitude: 700 ft (213 m)  
Recommended Engines: D12-3 (First Flight), E9-4\*, E9-6\*  
\* Must be 18 to purchase E engines. E engines require an E Launch Controller and E Launch Pad.



**NEW!** 1462 Shuttle Xpress™ Launch Set



**NEW!** 1466 Maxi Alpha 3™ Launch Set



**NEW!** 2446 Mini Honest John



**NEW!** 1903 Maxi Alpha 3™

Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

**NEW**



## SKILL LEVEL 2 ROCKET KITS

### 2447 ASTRON ELLIPTIC II™ \$11.99

Summer 2011  
 Length: 23.3 in. (59.2 cm)  
 Diameter: .74 in. (19 mm)  
 Estimated Weight: 1 oz (28.3 g)  
 Fins: Laser cut balsa  
 Recovery: Streamer and Tumble  
 Projected Altitude: 925 ft. (282 m)  
 Recommended Engines:  
 Upper Stage Only: 1/2A3-2T (First Flight), A3-4T, A10-3T  
 Two Stage: Booster – A10-0T  
 Upper – 1/2A3-4T, 1/4A3-3T, A3-4T, A10-3T



### 3217 VAGABOND™ \$19.99

Summer 2011  
 Length: 35.25 in. (89.5 cm)  
 Diameter: 1.64 in. (42 mm)  
 Estimated Weight: 4.1 oz (116.2 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 1,275 ft. (389 m)  
 Recommended Engines: D12-5 (First Flight), D12-7, E9-6\*, E9-8\*  
 \* Must be 18 to purchase E engines. E engines require an E Launch Controller and E Launch Pad.



### 3218 LASER LANCE™ \$16.99

Summer 2011  
 Length: 20.25 in. (51.4 cm)  
 Diameter: 1.64 in. (42 mm)  
 Estimated Weight: 2.8 oz (79.4 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 282 ft. (86 m)  
 Recommended Engines: C11-3 (First Flight), C11-5, D12-5, D12-7



### 3219 AIR COMMANDER™ \$24.99

Summer 2011  
 Length: 32.5 in. (82.5 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 3.8 oz (107.7 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 686 ft. (209 m)  
 Recommended Engines: Booster: C11-0 (First Flight), C11-5, D12-0, D12-5, D12-7



### 7216 EPM 010™ \$19.99

Summer 2011  
 Length: 35.25 in. (89.5 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 2.4 oz (68 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 925 ft (99 m)  
 Recommended Engines: B4-4, B6-4 (First Flight), C6-3, C6-5



### 7217 HYPER BAT™ \$14.99

Summer 2011  
 Length: 21.9 in. (55.6 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.8 oz (51 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute and Tumble  
 Projected Altitude: 2,125 ft (648 m)  
 Recommended Engines:  
 Upper Stage Only: B6-4, (First Flight), B6-6, C6-5, C6-7  
 Two Stage: Booster – A8-0, B6-0 (First Flight), C6-0  
 Upper – A8-5 (First Flight), B6-6, C6-5, C6-7



Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

**NEW**



## SKILL LEVEL 3 - 5 ROCKET KITS

### 1335 MEGA MOSQUITO™

\$29.99

Summer 2011

Skill Level: 3

Length: 18.6 in. (47.2 cm)

Diameter: 2.6 in. (66 mm)

Estimated Weight: 5.2 oz (147.4 g)

Fins: Laser cut balsa

Recovery: 18 in. (46 cm) Parachute

Projected Altitude: 750 ft. (229 m)

Recommended Engines: D12-3 (First Flight), D12-5, E9-4\*, E9-6\*

\* Must be 18 to purchase E engines. E engines require an E Launch Controller and E Launch Pad.

### MOSQUITO™

Skill Level: 1

Length: 3.8 in. (9.6 cm)

Diameter: .54 in. (14 mm)

Estimated Weight: .11 oz (3.1 g)

Fins: Laser cut balsa

Recovery: Tumble

Projected Altitude: 800 ft. (244 m)

Recommended Engines: 1/4A3-3T (First Flight), 1/2A3-2T, A3-4T, A10-3T

### 2134 MIRV™

\$27.99

Summer 2011

Skill Level: 3

Length: 24.5 in. (62.2 cm)

Diameter: 1.64 in. (42 mm)

Estimated Weight: 4.7 oz (134 g)

Fins: Laser cut balsa

Projected Altitude: 600 ft. (183 m)

Recommended Engines:

Booster Stage: B6-0, (First Flight) C6-0

Second Stage: A10-3T Only

### 3221 QCC EXPLORER™

**SPECIAL PRICING \$18.99**

Summer 2011

Skill Level: 4

Length: 35 in. (88.9 cm)

Diameter: 1.64 in. (42 mm)

Estimated Weight: 5 oz (141.2 g)

Fins: Laser cut balsa

Recovery: 18 in. (46 cm) Parachute

Projected Altitude: 1225 ft. (373 m)

Recommended Engines: C11-3 (First Flight), D12-5, E9-4\*, E9-6\*

\* Must be 18 to purchase E engines. E engines require an E Launch Controller and E Launch Pad.

### 3223 XARCONIAN CRUISER™

\$27.99

Summer 2011

Skill Level: 5

Length: 22.7 in. (57.9 cm)

Diameter: 1.33 in. (34 mm)

Estimated Weight: 3.7 oz (105 g)

Wing Span: 8.4 in. (21.3 cm)

Fins: Laser cut balsa

Recovery: 18 in. (46 cm) Parachute

Projected Altitude: 525 ft. (160 m)

Recommended Engines: B6-2, C6-3 (First Flight)



Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

**NEW**

## E2X® (EASY TO ASSEMBLE) LAUNCH SETS

### 1403 Riptide™ \$32.49

Length: 18 in. (45.7 cm)  
Diameter: 1.33 in. (34.3 mm)  
Estimated Weight: 2.7 oz (75 g)  
Recovery: 12 in. (30.5 cm) Parachute  
Projected Altitude: 600 ft. (183 m)  
Recommended Engines: B4-4 (First Flight), B6-4, C6-5

### 1427 Alpha III® \$29.99

Length: 12.3 in. (31.2 cm)  
Diameter: .98 in. (25 mm)  
Estimated Weight: 1.2 oz (34 g)  
Fins: Plastic  
Projected Altitude: 1,150 ft. (350 m)  
Recovery: 12 in. (30.5 cm) Parachute  
Recommended Engines: A8-3 (First Flight), A8-5, B4-4, B6-4, B6-6, C6-5, C6-7

### 1465 HeliCat™ \$34.99

Length: 30.25 in. (76.8 cm)  
Diameter: 1.35 in. (34 mm)  
Estimated Weight: 3.5 oz (99 g)  
Fins: Plastic  
Recovery: 18 in. (46 cm) Parachute; Nose Cone - Helicopter  
Projected Altitude: 550 ft. (168 m)  
Recommended Engines: B6-2 (First Flight), B4-2, C6-3, C6-5

### 1469 Tandem-X™ \$30.49

**Amazon™**  
Length: 33.6 in. (85.3 cm)  
Diameter: 1.33 in. (34 mm)  
Estimated Weight: 3.3 oz (94 g)  
Fins: Plastic  
Recovery: 18 in. (46 cm) Parachute  
Projected Altitude: 644 ft. (196 m)  
Recommended Engines: B4-2 (First Flight), B4-4, B6-2, B6-4, C6-3, C6-5

### **Crossfire ISX™**

Skill Level 1  
Length: 15.6 in. (39.6 cm)  
Diameter: .98 in. (25 mm)  
Estimated Weight: 1.3 oz (37 g)  
Fins: Laser cut balsa  
Recovery: 12 in. (30.5 cm) Parachute  
Projected Altitude: 1,208 ft. (368 m)  
Recommended Engines: A8-3 (First Flight), B4-2, B4-4, B6-2, B6-4, C6-3, C6-5, C6-7

### 1475 Solar Scouts™ \$29.99

**Sky Dart™**  
Length: 10.3 in. (26.2 cm)  
Diameter: .54 in. (14 mm)  
Estimated Weight: .4 oz (11.3 g)  
Fins: Plastic  
Recovery: Streamer  
Projected Altitude: 950 ft. (290 m)  
Recommended Engines: 1/2A3-2T (First Flight), 1/2A3-4T, A3-4T, A10-3T

**Farside™**  
Length: 16.5 in. (41.9 cm)  
Diameter: 1.1 in. (28 mm)  
Estimated Weight: 1.6 oz (45.4 g)  
Fins: Plastic  
Recovery: 12 in. (30.5 cm) Parachute  
Projected Altitude: 1,100 ft. (335 m)  
Recommended Engines: A8-3 (First Flight), B4-4, B6-4, B6-6, C6-5, C6-7



\*Each Launch Set includes Estes Launch Pad and Controller (Engines and AA batteries required – sold separately)

Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

# LAUNCH SETS



## E2X® (EASY TO ASSEMBLE) LAUNCH SETS

**1476 Moon Mutt™** **\$14.99**  
 Length: 10 in. (25.4 cm)  
 Diameter: .74 in. (19 mm)  
 Estimated Weight: .65 oz (18.4 g)  
 Fins: Plastic  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 200 ft. (61 m)  
 Recommended Engines: 1/4A3-3T (First Flight), 1/2A3-2T

**1478 Flash®!** **\$24.49**  
 Length: 16.2 in. (41.2 cm)  
 Diameter: 1.1 in. (28 mm)  
 Estimated Weight: 1.8 oz (52 g)  
 Fins: Plastic  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 925 ft. (282 m)  
 Recommended Engines: A8-3 (First Flight), B4-4, B6-4, C6-5, C6-7


**1491 Taser™** **\$24.49**  
 Length: 16.5 in. (41.9 cm)  
 Diameter: .98 in (25 mm)  
 Estimated Weight: 1.5 oz (42.5 g)  
 Fins: Plastic  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,000 ft. (305 m)  
 Recommended Engines: A8-3 (First Flight), B4-4, B6-4, B6-6, C6-5, C6-7

**1497 Customizer™ Mini** **\$21.99**  
 BECOME A ROCKET INVENTOR! Build and design your own concept rockets! This kit will turn YOU into a MODEL ROCKET DESIGNER! Many combinations of the 24 parts included allow you to create 12 possible rockets. From the E2X® line, all parts are pre-colored and you simply glue together. You can build one taller rocket or two other rockets. You're the designer here, you choose!  
 Recommended Engines: 1/2A3-2T (First Flight) A3-4T, A10-3T

**1498 Sky Lofter™** **\$24.99**  
 Length: 22 in. (55.9 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.9 oz (54 g)  
 Fins: Plastic  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,025 ft. (312 m)  
 Recommended Engines: A8-3 (First Flight), B4-4, B6-4, C6-5

**1499 Rascal™ & HiJinks™** **\$29.99**  
**Rascal™**  
 Length: 14 in. (35.6 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.5 oz (43 g)  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,200 ft. (366 m)  
 Recommended Engines: A8-3 (First Flight), B4-4, B6-4, C6-5, C6-7

**HiJinks™**  
 Length: 14 in. (35.6 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.5 oz (43 g)  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,200 ft. (366 m)  
 Recommended Engines: A8-3 (First Flight), B4-4, B6-4, C6-5, C6-7



\*Each Launch Set includes Estes Launch Pad and Controller (Engines and AA batteries required – sold separately)

Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

LAUNCH SETS



## READY TO FLY ROCKETS

**1894 Sky Hawker™** **\$15.99**  
 Length: 16.5 in. (41.9 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.5 oz (42.1 g)  
 Recovery: 12 in. (30.5 cm)  
 Projected Altitude: 1,000 ft. (305 m)  
 Recommended Engines: A8-3 (First Flight), B4-4, B6-4, C6-5, C6-7

**1895 Patriarch™** **\$16.99**  
 Length: 18 in. (45.7 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 2.7 oz (75 g)  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 600 ft. (183 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5

**1896 Puma™** **\$11.99**  
 Length: 10.3 in. (26 cm)  
 Diameter: .54 in. (14 mm)  
 Estimated Weight: .4 oz (12 g)  
 Recovery: Streamer  
 Projected Altitude: 800 ft. (244 m)  
 Recommended Engines: 1/2A3-2T (First Flight), 1/2A3-4T, A3-4T, A10-3T

**1906 Rascal™** **\$12.99**  
 Length: 14 in. (35.6 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.52 oz (43 g)  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,200 ft. (366 m)  
 Recommended Engines: A8-3 (First Flight), B4-4, B6-4, C6-5, C6-7

**1907 HiJinks™** **\$12.99**  
 Length: 14 in. (35.6 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.52 oz (43 g)  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,200 ft. (366 m)  
 Recommended Engines: A8-3 (First Flight), B4-4, B6-4, C6-5, C6-7



Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

READY TO FLY

## READY TO FLY ROCKETS

**2450 EX-200™** **\$10.99**  
 Length: 14.25 in. (36.2 cm)  
 Diameter: .74 in. (19 mm)  
 Estimated Weight: .78 oz (22.1 g)  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 550 ft. (168 m)  
 Recommended Engines: 1/2A3-4T (First Flight), A3-4T, A10-3T

**2451 Fuse™** **\$10.99**  
 Length: 13.1 in. (33.3 cm)  
 Diameter: .74 in. (19 mm)  
 Estimated Weight: .78 oz (22.1 g)  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 550 ft. (168 m)  
 Recommended Engines: 1/2A3-4T (First Flight), A3-4T, A10-3T

**2452 Athena™** **\$11.99**  
 Length: 16.5 in. (41.9 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.4 oz (39.7 g)  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,125 ft. (343 m)  
 Recommended Engines: A8-3 (First Flight), B6-4, C6-5


**2453 Summit™** **\$11.99**  
 Length: 20.25 in. (51.4 cm)  
 Diameter: .74 in. (19 mm)  
 Estimated Weight: .85 oz (24.1 g)  
 Recovery: Streamer  
 Projected Altitude: 525 ft. (160 m)  
 Recommended Engines: 1/2A3-4T (First Flight), A3-4T, A10-3T

**2454 SkyTrax™** **13.99**  
 Length: 20.75 in. (52.7 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 2.6 oz (73.7 g)  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 675 ft. (206 m)  
 Recommended Engines: B6-4 (First Flight), C6-5

**2455 Code Red™** **13.99**  
 Length: 18.75 in. (47.6 cm)  
 Diameter: 1.35 in. (34 mm)  
 Estimated Weight: 2.2 oz (62.4 g)  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 725 ft. (221 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5

**2456 LoadStar™** **\$15.99**  
 Length: 22.6 in. (57.4 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 2.2 oz (62.4 g)  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 725 ft. (221 m)  
 Recommended Engines: B4-4, B6-4 (First Flight), C6-5

**2457 Prospector™** **\$15.99**  
 Length: 23 in. (58.4 cm)  
 Diameter: 1.35 in. (34 mm)  
 Estimated Weight: 2.4 oz (68 g)  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 700 ft. (213 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5



Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

READY TO FLY

## E2X® (EASY TO ASSEMBLE) ROCKET KITS

### 0803 Bandito™ \$8.99

Length: 11.2 in. (28.4 cm)  
Diameter: .74 in. (19 mm)  
Estimated Weight: .60 oz (17 g)  
Fins: Plastic  
Recovery: 12 in. (30.5 cm) Parachute  
Projected Altitude: 600 ft. (183 m)  
Recommended Engines: 1/4A3-3T (First Flight),  
1/2A3-2T, A3-4T, A10-3T



0803 Bandito™

### 0804 Firehawk™ \$8.99

Length: 11.2 in. (28.4 cm)  
Diameter: .74 in. (19 mm)  
Estimated Weight: .65 oz (18.4 g)  
Fins: Plastic  
Recovery: 12 in. (30.5 cm) Parachute  
Projected Altitude: 550 ft. (168 m)  
Recommended Engines: 1/4A3-3T (First Flight),  
1/2A3-2T, A3-4T, A10-3T



0804 Firehawk™

### 0806 Firestreak™ SST \$8.99

Length: 10.2 in. (25.9 cm)  
Diameter: .89 in. (23 mm)  
Estimated Weight: 1.1 oz (32.3 g)  
Fins: Plastic  
Recovery: Streamer  
Projected Altitude: 350 ft. (107 m)  
Recommended Engines: 1/2A3-2T, A3-4T (First Flight),  
A10-3T



0806 Firestreak SST™

### 0886 Gnome™ \$10.49

Length: 10.3 in. (26 cm)  
Diameter: .54 in. (14 mm)  
Estimated Weight: .4 oz (12 g)  
Fins: Plastic  
Recovery: Streamer  
Projected Altitude: 800 ft. (244 m)  
Recommended Engines: 1/2A3-2T (First Flight),  
1/2A3-4T, A3-4T, A10-3T



0886 Gnome™

### 1256 Alpha III® \$18.99

Length: 12.3 in. (31.2 cm)  
Diameter: .98 in. (25 mm)  
Estimated Weight: 1.2 oz (34 g)  
Fins: Plastic  
Recovery: 12 in. (30.5 cm) Parachute  
Projected Altitude: 1,100 ft. (335 m)  
Recommended Engines: A8-3 (First Flight), A8-5,  
B4-4, B6-4, B6-6, C6-5, C6-7



1256 Alpha III®

Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.





## E2X® (EASY TO ASSEMBLE) ROCKET KITS

### 1260 No. 2 Estes Sky Writer® \$10.99

Length: 26 in. (66 cm)  
Diameter: .98 in. (25 mm)  
Estimated Weight: 1.5 oz (42.5 g)  
Fins: Plastic  
Recovery: 12 in. (30.5 cm) Parachute  
Projected Altitude: 1,100 ft. (335 m)  
Recommended Engines: A8-3 (First Flight), B4-4, B6-4, C6-5

### 1262 Cosmic Cobra™ \$12.99

Length: 19.5 in. (49.5 cm)  
Diameter: 1.35 in. (34 mm)  
Estimated Weight: 3.1 oz (88 g)  
Fins: Plastic  
Recovery: Booster - 12 in. (30.5 cm) Parachute; Nose Cone - Helicopter  
Projected Altitude: 530 ft. (162 m)  
Recommended Engines: B4-2 (First Flight), B6-2, B6-4, C6-3, C6-5

### 1300 Blue Ninja™ \$19.99

Length: 31.3 in. (79.5 cm)  
Diameter: 1.64 in. (42 mm)  
Estimated Weight: 5.1 oz (145.4 g)  
Fins: Plastic  
Recovery: 18 in. (46 cm) Parachute  
Projected Altitude: 780 ft. (238 m)  
Recommended Engines: C11-3 (First Flight), D12-3  
Requires 3/16 in. (5 mm) Maxi™ launch rod (302244), sold separately.

### 2168 Metalizer™ \$16.79

Length: 22.5 in. (57.2 cm)  
Diameter: 1.33 in. (34 mm)  
Estimated Weight: 2.4 oz (68 g)  
Fins: Plastic  
Recovery: 12 in. (30.5 cm) Parachute  
Projected Altitude: 760 ft. (232 m)  
Recommended Engines: B4-4 (First Flight), B6-4, C6-5



Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

# E2X®

## E2X® (EASY TO ASSEMBLE) ROCKET KITS

### 2169 Dragonite™ \$14.79

Length: 16 in. (40.6 cm)  
 Diameter: 1.1 in. (28 mm)  
 Estimated Weight: 1.8 oz (52 g)  
 Fins: Plastic  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,129 ft. (344 m)  
 Recommended Engines: A8-3 (First Flight), B4-4, B6-4,  
 C6-5, C6-7



### 2181 Chrome Domes™ Gold Series \$14.99

Length: 18 in. (45.7 cm)  
 Diameter: 1.35 in. (34 mm)  
 Estimated Weight: 2.7 oz (75 g)  
 Fins: Plastic  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 600 ft. (183 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5



### 2183 Shuttle Xpress™ \$17.99

Length: 17.7 in. (44.9 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 3.2 oz (90.7 g)  
 Fins: Plastic  
 Recovery: Booster - 12 in. (30.5 cm) Parachute;  
 Shuttles - Glide  
 Projected Altitude: 586 ft. (179 m)  
 Recommended Engines: B4-2 (First Flight), B4-4, B6-2,  
 B6-4, C6-3, C6-5



### 2430 Gold Strike™ \$15.99

Length: 18.75 in. (47.6 cm)  
 Diameter: 1.35 in. (34 mm)  
 Estimated Weight: 2.2 oz (61.5 g)  
 Fins: Plastic  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 725 ft. (221 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5



### Bonus Rocket: Silver Streak™

Length: 10.25 in. (26 cm)  
 Diameter: .74 in. (19 mm)  
 Estimated Weight: .6 oz (17 g)  
 Fins: Plastic  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 550 ft. (168 m)  
 Recommended Engines: 1/4A3-3T (First Flight), 1/2A3-2T,  
 A3-4T, A10-3T



Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.



## SKILL LEVEL 1 ROCKET KITS

### 0651 Der Red Max™ \$16.99

Length: 16.25 in. (41.3 cm)  
 Diameter: 1.64 in. (42 mm)  
 Estimated Weight: 2.4 oz (67 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 593 ft. (181 m)  
 Recommended Engines: B6-2 (First Flight), B6-4, C6-5



0651 Der Red Max™

### 0802 Quark™ \$5.79

Length: 5.2 in. (13.2 cm)  
 Diameter: .54 in. (14 mm)  
 Estimated Weight: .1 oz (3 g)  
 Fins: Laser cut balsa  
 Recovery: Featherweight  
 Projected Altitude: 700 ft. (213 m)  
 Recommended Engines: 1/4A3-3T (First Flight), 1/2A3-4T, A3-4T, A10-3T



0802 Quark™

### 0810 220 Swift™ \$5.79

Length: 4.5 in. (11.4 cm)  
 Diameter: .54 in. (14 mm)  
 Estimated Weight: .09 oz (2.5 g)  
 Fins: Laser cut balsa  
 Recovery: Featherweight  
 Projected Altitude: 750 ft. (229 m)  
 Recommended Engines: 1/4A3-3T (First Flight), 1/2A3-4T, A3-4T, A10-3T



0810 220 Swift™

### 1225 Alpha® \$13.99

Length: 12.3 in. (31.2 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: .8 oz (23 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,000 ft. (305 m)  
 Recommended Engines: 1/2A6-2, A8-3 (First Flight), A8-5, B4-4, B6-4, B6-6, C6-5, C6-7



1225 Alpha®

### 1261 Baby Bertha™ \$10.79

Length: 12.75 in. (32.4 cm)  
 Diameter: 1.64 in. (42 mm)  
 Estimated Weight: 1.6 oz (45.3 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 575 ft. (175 m)  
 Recommended Engines: A8-3 (First Flight), B4-4, B6-4, C6-5



1261 Baby Bertha™

Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

SKILL LEVEL 1



## SKILL LEVEL 1 ROCKET KITS

### 1292 Wizard™ \$10.49

Length: 12 in. (30.5 cm)  
 Diameter: .74 in. (19 cm)  
 Estimated Weight: .5 oz (14.2 g)  
 Fins: Laser cut balsa  
 Recovery: Streamer  
 Projected Altitude: 1,692 ft. (516 m)  
 Recommended Engines: 1/2A6-2, A8-3 (First Flight), A8-5, B4-4, B6-4, B6-6, C6-5, C6-7

### 1301 StormCaster™ \$17.99

Length: 30.25 in. (76.8 cm)  
 Diameter: 1.64 (42 mm)  
 Estimated Weight: 2.9 oz (80.8 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 930 ft. (283 m)  
 Recommended Engines: C11-3 (First Flight), D12-5  
 Requires 3/16 in. (5 mm) Maxi™ launch rod (302244), sold separately.

### 1381 Yankee™ \$10.49

Length: 11 in. (27.9 cm)  
 Diameter: .74 in. (19 mm)  
 Estimated Weight: .4 oz (12 g)  
 Fins: Laser cut balsa  
 Recovery: Streamer  
 Projected Altitude: 1,850 ft. (564 m)  
 Recommended Engines: 1/2A6-2, A8-3 (First Flight), A8-5, B4-4, B6-4, B6-6, C6-5, C6-7

### 1948 Big Bertha® \$22.99

Length: 24 in. (61 cm)  
 Diameter: 1.64 in. (42 mm)  
 Estimated Weight: 2.2 oz (62 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm)  
 Projected Altitude: 500 ft. (152 m)  
 Recommended Engines: B4-2 (First Flight), B4-4, B6-2, B6-4, C6-5

### 1949 Viking™ \$10.49

Length: 12.1 in. (30.7 cm)  
 Diameter: .74 in. (19 mm)  
 Estimated Weight: .6 oz (17 g)  
 Fins: Card stock  
 Recovery: Streamer  
 Projected Altitude: 1,698 ft. (518 m)  
 Recommended Engines: 1/2A6-2, A8-3 (First Flight), A8-5, B4-4, B6-4, B6-6, C6-5, C6-7

### 1960 Nova Payloader™ \$17.49

Length: 21.1 in. (53.6 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.3 oz (38 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,000 ft. (305 m)  
 Recommended Engines: A8-3 (First Flight), B4-4, B6-4, C6-5



Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

SKILL LEVEL 1

## SKILL LEVEL 1 ROCKET KITS

### 2056 U.S. Army Patriot M-104 \$15.79

Length: 21.3 in. (54.1 cm)  
 Diameter: 1.64 in. (42 mm)  
 Estimated Weight: 2 oz (55.3 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 600 ft. (183 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5

### 2092 Mongoose™ \$14.79

Length: 26.5 in. (67.3 cm)  
 Diameter: .74 in. (19 mm)  
 Estimated Weight: 2.3 oz (65g)  
 Fins: Plastic  
 Recovery: 12 in. (30.5 cm) Parachute and Tumble  
 Projected Altitude: 1,600 ft. (488 m)  
 Recommended Engines:  
 Upper Stage Only: A8-3 (First Flight), B4-4, B6-4, C6-5;  
 Two Stage: Booster – B6-0 (First Flight), C6-0;  
 Second – B6-6 (First Flight), C6-7

### 2178 Hi-Flier® \$8.79

Length: 12 in. (30.5 cm)  
 Diameter: .74 in. (19 mm)  
 Estimated Weight: .82 oz (23.2 g)  
 Fins: Laser cut balsa  
 Recovery: Streamer  
 Projected Altitude: 1,690 ft. (515 m)  
 Recommended Engines: 1/2A6-2, A8-3 (First Flight), A8-5,  
 B4-4, B6-4, B6-6, C6-5, C6-7

### 2421 Cosmic Explorer™ \$21.99

Length: 24 in. (61 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 2.8 oz (78 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 650 ft. (198 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5



Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

**SKILL LEVEL 1**


## SKILL LEVEL 1 ROCKET KITS

**2422 Reflector™** \$23.99  
 Length: 20.25 in. (51.4 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 2.1 oz (60 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 750 ft. (228 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5




**2445 Mini Max™** \$11.49  
 Length: 9.75 in. (24.8 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.3 oz (37 g)  
 Fins: Laser cut balsa  
 Recovery: Streamer  
 Projected Altitude: 300 ft. (91.5 m)  
 Recommended Engines: 1/2A3-2T (First Flight), 1/2A3-4T, A3-4T, A10-3T




**3009 Chuter-Two™** \$19.99  
  
 Length: 18.5 in. (47 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.2 oz (34 g)  
 Fins: Laser cut balsa  
 Recovery: 2 12 in. (30.5 cm) Parachutes  
 Projected Altitude: 900 ft. (274 m)  
 Recommended Engines: A8-3 (First Flight), B6-4, C6-5, C6-7



**3013 Flutter-By™** \$12.99  
  
 Length: 8.25 in. (21 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.4 oz (39.7 g)  
 Fins: Laser cut balsa  
 Recovery: Tumble  
 Projected Altitude: 575 ft. (175 m)  
 Recommended Engines: A8-3 (First Flight), B4-2, B4-4, B6-2, B6-4



**3022 Payloader II™** \$19.99  
  
 Length: 17 in. (43 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.2 oz (62.4 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,000 ft. (305 m)  
 Recommended Engines: A8-3 (First Flight), B6-4, C6-5, C6-7



**3024 Phoenix Bird™** \$21.99  
  
 Length: 24 in. (61 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 2.8 oz (79 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 550 ft. (168 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5



Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

SKILL LEVEL 1



## SKILL LEVEL 1 ROCKET KITS

**3031 Star Trooper™**  **\$6.59**  
 Length: 7.4 in. (18.8 cm)  
 Diameter: .54 in. (14 mm)  
 Estimated Weight: .3 oz (8.5 g)  
 Fins: Laser cut balsa  
 Recovery: Streamer  
 Projected Altitude: 900 ft. (274 m)  
 Recommended Engines: A3-4T (First Flight), A10-3T



**3033 Twister™**  **\$14.99**  
 Length: 13.8 in. (35 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.1 oz (31 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,100 ft. (335 m)  
 Recommended Engines: A8-3 (First Flight) B6-4, C6-5, C6-7



**3037 Hornet**  **17.99**  
 Length: 19.25 in. (48.9 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 2.3 oz (65 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 775 ft. (236 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5



**3201 Taser Twin™** **\$12.99**  
 Length: 15.4 in. (39 cm)  
 Diameter: .74 in. (19 mm)  
 Estimated Weight: 1.8 oz (51 g)  
 Fins: Laser cut balsa  
 Recovery: Tumble/Streamer  
 Projected Altitude: 2,000 ft. (610 m)  
 Recommended Engines: B6-0, B6-6 (First Flight), C6-0, C6-7



**3202 Comet Chaser™** **\$12.99**  
 Length: 14.4 in. (36.5 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.3 oz (35.7 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,150 ft. (351 m)  
 Recommended Engines: A8-3 (First Flight), B6-4, C6-5, C6-7



**3203 Equinox™** **\$11.99**  
 Length: 15 in. (38.1 cm)  
 Diameter: .74 in. (19 mm)  
 Estimated Weight: 1.1 oz (31.2 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,575 ft. (480 m)  
 Recommended Engines: A8-3 (First Flight), B6-4, C6-5, C6-7



Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

**SKILL LEVEL 1**

## SKILL LEVEL 1 ROCKET KITS

### 3205 Fusion X25™ \$14.99

Length: 13.5 in. (34 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.3 oz (35.4 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,150 ft. (350.5 m)  
 Recommended Engines: A8-3 (First Flight), B6-4, C6-5



### 3206 Star Stryker™ \$15.99

Length: 16.8 in. (42.7 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.1 oz (30 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,175 ft. (358 m)  
 Recommended Engines: A8-3 (First Flight), B6-4, C6-5, C6-7



### 3207 Crossbow SST™ \$14.99

Length: 14.4 in. (36.6 cm)  
 Diameter: .74 in. (19 mm)  
 Estimated Weight: 1.1 oz (31.2 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,600 ft. (488 m)  
 Recommended Engines: A8-3 (First Flight), B6-4, C6-5




### 3208 Ricochet™ \$17.99

Length: 22 in. (55.9 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.5 oz (41 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,125 ft. (343 m)  
 Recommended Engines: A8-3 (First Flight), B6-4, C6-5, C6-7



### 3209 Space Eagle™ \$20.99

Length: 26.75 in. (67.9 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 2.2 oz (62.4 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 975 ft. (297 m)  
 Recommended Engines: B6-4 (First Flight), C6-5



Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

SKILL LEVEL 1

## SKILL LEVEL 1 ROCKET KITS


### 3210 Vector Force™ \$20.99

Length: 28.25 in. (71.8 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 2.4 oz (67 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 725 ft. (221 m)  
 Recommended Engines: B6-4 (First Flight), C6-5



### 3211 Plasma Probe™ \$20.99

Length: 18.5 in. (47 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 1.7 oz (48.1 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 800 ft. (244 m)  
 Recommended Engines: B4-4, B6-4 (First Flight), C6-5



### 3216 Super Alpha™ \$14.99

Length: 19.5 in. (49.5 cm)  
 Diameter: 1.64 in. (42 mm)  
 Estimated Weight: 2.2 oz (62.3 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 600 ft. (183 m)  
 Recommended Engines: B6-4 (First Flight), C6-5



### 7214 Monarch™ \$15.99

Length: 22.5 in. (57.1 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 2.4 oz (68 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 700 ft. (228 m)  
 Recommended Engines: B6-4 (First Flight), C6-5



### 7215 Stratocruiser™ \$15.99

Length: 23.5 in. (59.7 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 2.2 oz (62.4 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 725 ft. (221 m)  
 Recommended Engines: B6-4 (First Flight), C6-5



Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

SKILL LEVEL 1  
 ESTES  
 ROCKETS



## SKILL LEVEL 2 ROCKET KITS

### 1250 Interceptor® \$28.49

Length: 36 in. (91.4 cm)  
 Diameter: 1.3 in. (33 mm)  
 Wingspan: 7.4 in. (18.8 cm)  
 Estimated Weight: 3.9 oz (109 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 525 ft. (160m)  
 Recommended Engines: B6-2 (First Flight), B6-4, C6-5

### 1295 Mean Machine™ \$28.99

Length: 79 in. (200.6 cm)  
 Diameter: 1.64 in. (42 mm)  
 Estimated Weight: 5.8 oz (164 g)  
 Fins: Laser cut balsa  
 Recovery: 24 in. (61 cm) Parachute  
 Projected Altitude: 941 ft. (287 m)  
 Recommended Engines: D12-3, D12-5 (First Flight), E9-4\*, E9-6\*  
 Requires 3/16 in. (5 mm) Maxi™ launch rod (302244), sold separately.

### 1302 CC Express™ \$18.99

Length: 28.4 in. (72.1 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 2.7 oz (75.3 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 1,790 ft. (546 m)  
 Recommended Engines: Upper Stage Only: D12-5;  
 Two-Stage: Booster - D12-0; Upper - D12-7  
 Requires 3/16 in. (5 mm) Maxi™ launch rod (302244), sold separately.

### 1950 Eliminator™ \$29.99

Length: 30.8 in. (78.2 cm)  
 Diameter: 1.35 in. (34 mm)  
 Estimated Weight: 4.6 oz (130 g)  
 Fins: Plastic  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,420 ft. (433 m)  
 Recommended Engines: D12-5 (First Flight), D12-7, E9-6\*, E9-8\*

### 2037 D-Region Tomahawk \$39.99

Length: 38.8 in. (98.6 cm)  
 Diameter: 1.8 in. (46 mm)  
 Estimated Weight: 9.2 oz (260 g)  
 Fins: Plastic  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 787 ft. (240 m)  
 Recommended Engines: D12-5 (First Flight), E9-6\*  
 Requires 3/16 in. (5 mm) Maxi™ launch rod (302244), sold separately.

### 2050 Super Neon™ \$16.99

Length: 22.1 in. (56.1 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 1.7 oz (48 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 1,105 ft. (337 m)  
 Recommended Engines: A8-3 (First Flight), B4-4, B6-4, C6-5



\* Use of E engines is for those 18 years and older. Adult supervision required for those under 18. Also requires the Porta-Pad® E™ Launch Pad (2238) and the E Launch Controller (2230), sold separately.

Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

SKILL LEVEL 2

## SKILL LEVEL 2 ROCKET KITS

**2117 Screaming Eagle®** **\$18.99**  
 Length: 16.75 in. (42.5 cm)  
 Diameter: 1 in. (25.4 mm)  
 Estimated Weight: 2.3 oz (65.2 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 600 ft. (183 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5

**2123 EggsCaliber™** **\$19.99**  
 Length: 20 in. (51 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight (without egg): 2.6 oz (74 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute and 18 in. (46 cm) Parachute  
 Projected Altitude: 610 ft. (186 m)  
 Recommended Engines: With egg – B6-2 (First Flight), C6-3, C11-3, D12-3, E9-4\*; Without egg – B4-2 (First Flight), B6-2, C6-5, D12-5, E9-6\*  
 Requires 3/16 in. (5 mm) Maxi™ launch rod (302244), sold separately.

**2162 Big Daddy™** **\$31.99**  
 Length: 19 in. (48.3 cm)  
 Diameter: 3 in. (76 mm)  
 Estimated Weight: 5.3 oz (150 g)  
 Fins: Laser cut balsa  
 Recovery: 24 in. (61 cm) Parachute  
 Projected Altitude: 900 ft. (274 m)  
 Recommended Engines: C11-3 (First Flight), D12-3, D12-5, E9-4\*, E9-6\*  
 Requires 3/16 in. (5 mm) Maxi™ Launch Rod (302244), sold separately.

**2179 Guardian™** **\$15.49**  
 Length: 19.1 in. (48.5 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 2.4 oz (68.6 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 700 ft. (213 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, B6-6, C6-5

**2401 Solar Flare™** **\$17.99**  
 Length: 27 in. (68.6 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 3.2 oz (90.7 g)  
 Fins: Laser cut balsa and paper rings  
 Recovery: 12 in. (30.5 cm) Parachute and Tumble  
 Projected Altitude: 800 ft. (244 m)  
 Recommended Engines: Single Stage - A10-3T;  
 Two Stage: Booster Stage - B6-0 or C6-0;  
 Second Stage - A10-3T



\* Use of E engines is for those 18 years and older. Adult supervision required for those under 18. Also requires the Porta-Pad® E™ Launch Pad (2238) and the E Launch Controller (2230), sold separately.

Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

**SKILL LEVEL 2**



## SKILL LEVEL 2 ROCKET KITS

### 3003 Alien Invader™ \$19.99

Skill Level: 2  
 Length: 20.2 in. (51.3 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 2.4 oz (68 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 900 ft. (274 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5

### 3016 Long Tom™ \$24.99

Skill Level: 2  
 Length: 33.25 in. (84.4 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 3.2 oz (91 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 1,100 ft. (488 m)  
 Recommended Engines:  
 Upper Stage Only: B6-4 (First Flight), C6-5;  
 Two Stage: Booster – B6-0 (First Flight), C6-0, B6-6, C6-7

### 3025 Photon Disruptor™ \$19.99

Skill Level: 2  
 Length: 24.5 in. (62.2 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 2.4 oz (68 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 750 ft. (229 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5

### 3026 Photon Probe™ \$19.99


Skill Level: 2  
 Length: 23 in. (58.4 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 3.5 oz (98 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 575 ft. (175 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5

### 3027 Satellite Interceptor™ \$23.99

Skill Level: 2  
 Length: 22.25 in. (56.5 cm)  
 Diameter: .98 in. (25 mm)  
 Fin Span: 5.5 in. (14 cm)  
 Estimated Weight: 2.3 oz (65 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 950 ft. (290 m)  
 Recommended Engines: B4-4 (First Flight), B6-4, C6-5

### 7000 Bull Pup 12D™ \$17.99

Length: 15.6 in. (39.6 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 1.8 oz (51 g)  
 Fins: Laser cut balsa  
 Recovery: 12 in. (30.5 cm) Parachute  
 Projected Altitude: 675 ft. (206 m)  
 Recommended Engines: A8-3 (First Flight), B4-4, B6-4, C6-5



SKILL LEVEL 2

Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.



## SKILL LEVEL 3 & 4 ROCKET KITS

### 1350 Interceptor-E™ \$39.99

Length: 39 in. (99 cm)  
 Diameter: 2 in. (51 mm)  
 Wingspan: 11.25 in. (28.5 cm)  
 Estimated Weight: 13.5 oz (363 g)  
 Fins: Laser cut balsa  
 Recovery: 24 in. (61 cm) Nylon Parachute  
 Projected Altitude: 450 ft. (137m)  
 Recommended Engine: E9-4\* \*\*

### 1382 Comanche-3™ \$24.99

Length: 41 in. (104.1 cm)  
 Diameter: .98 in. (25 mm)  
 Estimated Weight: 2.1 oz (59 g)  
 Fins: Laser cut balsa  
 Recovery: Booster - Tumble; Main Stage - Two Streamers  
 Projected Altitude: 2,660 ft. (811 m)  
 Recommended Engines:  
 Upper Stage Only: A8-3 (First Flight), B4-4, B6-4, C6-5;  
 Three Stage: Booster - D12-0;  
 Second Stage - C6-0; Third Stage - B6-6, C6-7 \*\*

### 1951 Executioner™ \$39.99

Length: 38.5 in. (97.8 cm)  
 Diameter: 2.6 in. (66 cm)  
 Estimated Weight: 8.1 oz (230 g)  
 Fins: Laser cut birch wood  
 Recovery: 24 in. (61 cm) Parachute  
 Projected Altitude: 590 ft. (180 m)  
 Recommended Engines: D12-3 (First Flight), E9-4\*, E9-6\* \*\*

### 2157 Apollo 11 Saturn V \$99.99

Skill Level: 4  
 Length: 43.25 in. (110 cm)  
 Diameter: 3.94 in. (100 mm)  
 Estimated Weight: 11 oz (311.8 g)  
 Fins: Laser cut balsa  
 Recovery: 2 - 24 in. (61 cm) Parachute,  
 1 - 18 in. (46 cm) Parachute  
 Projected Altitude: 150 ft. (46 m)  
 Recommended Engine: D12-3 \*\*

### 2410 Renegade-D™ \$21.99

Length: 26.6 in. (67.6 cm)  
 Diameter: 1.64 in. (42 mm)  
 Estimated Weight: 4.3 oz (120.9 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 850 ft. (260 m)  
 Recommended Engine: D12-5 \*\*

### 2425 Super Neon XL™ \$29.99

Length: 37.75 in. (95.9 cm)  
 Diameter: 1.64 in (42 mm)  
 Estimated Weight: 7 oz (198 g)  
 Fins: Laser cut balsa  
 Recovery: 24 in (61 cm) Parachute  
 Projected Altitude: 1,000 ft. (305 m)  
 Recommended Engines: D12-5 (First Flight), E9-4\*, E9-6\* \*\*

### 2440 Magician™ \$21.99

Length: 33.5 in. (85 cm)  
 Diameter: 1.33 in. (34 mm)  
 Estimated Weight: 3.5 oz (100 g)  
 Fins: Laser cut balsa  
 Recovery: 18 in. (46 cm) Parachute  
 Projected Altitude: 1,600 ft. (488 m)  
 Recommended Engines: D12-5 (First Flight), E9-6\* \*\*



\* Use of E engines is for those 18 years and older. Adult supervision required for those under 18. Also requires the Porta-Pad® E™ Launch Pad (2238) and the E™ Launch Controller (2230), sold separately.

\*\* Requires 3/16 in. (5 mm) Maxi™ Launch Rod (302244), sold separately.


Estes model rocketry is recommended for ages 10 years and up. Adult supervision is recommended for those under 12 years of age.

SKILL LEVEL 3 & 4

# ESTES MODEL ROCKET ENGINES


The famous model rocket engines that made model rocketry the great activity it is today. Estes model rocket engines have been proven consistent and reliable in more than 400,000,000 launches.

- The concept of a factory assembled model rocket engine is the foundation of this scientific and educational activity!
- 3% of all Estes engines are static-tested at the factory for reliability and adherence to performance specifications.
- All engines comply with the code requirements of the National Fire Protection Association and are certified by the National Association of Rocketry.



## HOW DOES A MODEL ROCKET ENGINE WORK?

- When engine is ignited, it produces thrust and boosts rocket into sky.
- After propellant is used up, delay is activated, producing tracking smoke and allowing rocket to coast.
- After delay, ejection charge is activated, deploying recovery system.







## WHAT SIZES ARE AVAILABLE?

Estes engines are available in a wide variety of sizes and power levels:

TYPE	TOTAL IMPULSE	ENGINE TYPES
1/4A	0.313 - 0.625	Mini
1/2A	0.626 - 1.25	Standard, Mini
A	1.26 - 2.50	Standard, Mini
B	2.51 - 5.00	Standard
C6	5.01 - 10.00	Standard
C11	5.01 - 10.00	D Size
D	10.01 - 20.00	D Size
E	20.01 - 30.00	E Size

## Each engine type is color coded.

- Single Stage** - Green
- Upper Stage** - Purple (Upper stage engines can be used as single stage engines in lightweight rockets.)
- Booster** - Red (Booster engines contain no delay or ejection charge.)
- Plugged** - Blue (Plugged engines are used for R/C gliders and contain no delay or ejection charge.)



Each engine has an alpha-numeric code printed on it.



### B = TOTAL IMPULSE

This letter is the total power (in Newton-seconds) produced by the engine. Each succeeding letter has up to twice the total power as the previous letter. (Example: "B" engines have up to twice the power of "A" engines, which results in approximately twice the altitude the rocket will reach.)

### 6 = AVERAGE THRUST

This number shows the engine's average push or how fast the engine powers the rocket to go. The higher the number, the faster the speed. It is measured in Newtons (4.45 Newtons = 1 lb.).

### 4 = TIME DELAY

This number gives you the time delay in seconds between the end of the thrust phase and ignition of the ejection charge. Engine types ending in "0" have no time delay or ejection and are used for booster stages and special purposes only. Engines ending in "P" have no time delay or ejection charge and the forward end is plugged.

# ENGINE CHART

- Delays have a tolerance of plus or minus 10% or 1 second, whichever is greater.
- All Estes engines come complete with igniters and patented igniter plugs (Pat. No. 5,410,966 and 5,509,354).  
The Estes Igniter Plug makes engine ignition extremely reliable.
- Do not fly a rocket/engine combination whose liftoff weight exceeds the recommended maximum liftoff weight.

Prod. No.	Engine Type	Total Impulse	Time Delay	Max. Lift Wt.		Max. Thrust		Thrust Duration	Initial Weight		Propellant Weight		Retail /Pkg*
				Sec.	Oz.	g	Newtons		Lbs.	Sec.	Oz.	g	
<b>SINGLE STAGE ENGINES</b>													
1502	1/4A3-3T*	0.625	3	1.0	28	4.9	1.1	0.25	0.20	5.6	0.03	0.85	\$9.49
1503	1/2A3-2T*	1.25	2	2.0	57	8.3	1.9	0.3	0.20	5.6	0.06	1.75	\$9.49
1507	A3-4T*	2.50	4	2.0	57	6.8	1.5	0.6	0.27	7.6	0.12	3.50	\$9.49
1511	A10-3T*	2.50	3	3.0	85	13.0	2.9	0.8	0.28	7.9	0.13	3.78	\$9.49
1593	1/2A6-2	1.25	2	2.0	57	8.9	2.0	0.3	0.53	15.0	0.06	1.56	\$9.49
1598	A8-3	2.50	3	3.0	85	10.7	2.4	0.5	0.57	16.2	0.11	3.12	\$9.49
1601	B4-2	5.00	2	4.0	113	13.3	3.0	1.1	0.70	19.8	0.29	8.33	\$9.79
1602	B4-4	5.00	4	3.5	99	13.3	3.0	1.1	0.74	21.0	0.29	8.33	\$9.79
1605	B6-2	5.00	2	4.5	127	12.1	2.7	0.8	0.68	19.3	0.22	6.24	\$9.79
1606	B6-4	5.00	4	4.0	113	12.1	2.7	0.8	0.71	20.1	0.22	6.24	\$9.79
1613	C6-3	10.00	3	4.0	113	15.3	3.4	1.6	0.88	24.9	0.44	12.48	\$10.79
1614	C6-5	10.00	5	4.0	113	15.3	3.4	1.6	0.91	25.8	0.44	12.48	\$10.79
1622	C11-3	10.00	3	6.0	170	22.1	4.9	0.8	1.14	32.2	0.39	11.00	\$10.99
1623	C11-5	10.00	5	5.0	142	22.1	4.9	0.8	1.18	33.3	0.39	11.00	\$10.99
1666	D12-3	20.00	3	14.0	396	32.9	7.4	1.6	1.49	42.2	0.88	24.93	\$15.99
1667	D12-5	20.00	5	10.0	283	32.9	7.4	1.6	1.52	43.1	0.88	24.93	\$15.99
1673	E9-4	30.00	4	15.0	425	25.0	5.6	2.8	2.00	56.7	1.27	35.80	\$21.99
1674	E9-6	30.00	6	12.0	340	25.0	5.6	2.8	2.00	56.7	1.27	35.80	\$21.99
<b>UPPER STAGE ENGINES</b>													
1504	1/2A3-4T*	1.25	4	1.0	28	8.3	1.9	0.3	0.21	6.0	0.06	1.75	\$9.49
1599	A8-5	2.50	5	2.0	57	13.3	3.0	0.5	0.62	17.6	0.11	3.12	\$9.49
1607	B6-6	5.00	6	2.5	71	12.1	2.7	0.8	0.78	22.1	0.22	6.24	\$9.79
1615	C6-7	10.00	7	2.5	71	15.3	3.4	1.6	0.95	26.9	0.44	12.48	\$10.79
1624	C11-7	10.00	7	4.0	113	22.1	4.9	0.8	1.22	34.5	0.39	11.00	\$10.99
1668	D12-7	20.00	7	8.0	226	32.9	7.4	1.6	1.55	44.0	0.88	24.93	\$15.99
1675	E9-8	30.00	8	10.0	283	25.0	5.6	2.8	2.00	56.7	1.2	35.80	\$21.99
<b>BOOSTER STAGE ENGINES</b>													
1510	A10-0T	2.5	None	4.0	113	13	2.9	0.8	0.24	6.7	0.13	3.70	\$9.49
1600	A8-0	2.5	None	3.0	85	13.3	3.0	0.3	0.51	14.2	0.11	3.12	\$9.49
1608	B6-0	5.00	None	4.0	113	12.1	2.7	0.8	0.58	16.4	0.22	6.24	\$9.79
1616	C6-0	10.00	None	4.0	113	15.3	3.4	1.6	0.80	22.7	0.44	12.48	\$10.79
1621	C11-0	10.00	None	6.0	170	22.1	4.9	0.8	0.98	27.8	0.39	11.00	\$10.99
1665	D12-0	20.00	None	14.0	396	32.9	7.4	1.6	1.44	40.9	0.88	24.93	\$15.99
<b>PLUGGED ENGINES - FOR USE WITH ROCKET POWERED RACERS &amp; R/C ROCKET GLIDERS</b>													
1505	A10-PT*	2.50	None	3.0	85	13.0	2.9	0.8	0.26	7.4	0.13	3.78	\$9.49
















The data listed above is from randomly chosen production samples.  
NOTE: The "T" designates a mini engine.

\* There are 4 mini engines per package. All other engines are 3 per package.



## TIME/THRUST CURVES

- Time/thrust curves are representative of random production samples
- Graphs are not drawn to the same scale



## MODEL ROCKET ACCESSORIES

- 1672 BLAST-OFF® FLIGHT PACK** \$64.99  
Includes 6 each of A8-3, B6-4, C6-3, C6-5 engines, 30 igniters and 75 sheets of recovery wadding.
- 2230 E™ LAUNCH CONTROLLER** \$24.99  
Comes complete with safety key and 30 ft. (9 m) of cable. Requires 4 AA alkaline batteries - not included. Adult supervision is required for anyone under 18 when launching E engine powered rockets.
- 2238 PORTA-PAD® E LAUNCH PAD** \$24.99  
Quick assembly - no glue or tools required. Includes a 1/4 in. (6 mm) launch rod, but can accommodate a 3/16 in. (5 mm) Maxi™ launch rod - not included. Adult supervision required for anyone under 18 when launching E engine powered rockets.
- 302215 PORTA-PAD® II LAUNCH PAD** \$14.99  
Quick assembly - no glue or tools required! Comes complete with blast deflector, standoff, two-piece 1/8 in. (3 mm) launch rod and safety cap. Porta-Pad® II can accommodate a 3/16 in. (5 mm) Maxi™ launch rod - not included.
- 302220 ELECTRON BEAM® LAUNCH CONTROLLER** \$14.99  
Launch controller comes complete with safety key and 15 ft. (4.6 m) of cable. Requires four AA alkaline batteries - not included.
- 302227 TUBE MARKING GUIDE** \$9.99  
Easy way to mark fin and launch lug placement lines. Also includes a fin gluing jig.
- NEW 302231 FIN ALIGNMENT GUIDE** \$19.99  
Fast and accurate fin alignment for three- or four-finned rockets.
- 302232 ALTITRAK™** \$19.99  
Measure altitude with this easy to use device. Follow the rocket in the sights to apogee, release the trigger to lock the reading.
- 302241 BLAST DEFLECTOR PLATE** \$4.99  
Replaces that worn-out deflector.
- 302243 1/8 in. (3 mm) TWO-PIECE LAUNCH ROD** \$4.49  
Replacement rod ideal for most rockets.
- 302244 3/16 in. (5 mm) TWO-PIECE MAXI™ LAUNCH ROD** \$7.99  
Launch rod with extra strength and length for larger rockets.
- 302262 6 in. (15.2 cm) PARACHUTE (Assembled)** \$1.39
- 302264 12 in. (30.5 cm) PARACHUTE (Assembled)** \$1.59
- 302267 18 in. (46 cm) PARACHUTE (Assembled)** \$1.79
- 302271 24 in. (61 cm) PARACHUTE (Assembled)** \$1.99
- 302274 RECOVERY WADDING** \$4.99  
Flame resistant wadding protects recovery system. Required in most Estes rockets. Contains 75 sheets - enough for about 18-25 flights!
- 302278 SHOCK CORDS & MOUNT PACK** \$3.99  
Contains two 1/8 in. x 18 in. (3 mm x 450 mm) and one 1/4 in. x 36 in. (6 mm x 910 mm) rubber shock cords (enough for four shock cords). Includes mounts and instructions.
- 302301 MODEL ROCKET IGNITERS** \$4.99  
Dependable, easy-to-use Estes igniters in a convenient six pack. It's always a good idea to have a few spares.
- 302320 LAUNCH LUG PACK** \$4.99  
Contains eight 1/8 in. (3 mm), four 3/16 in. (5 mm) and two 1/4 in. (6 mm) launch lugs.
- 303143 ENGINE HOOK ACCESSORY PACK** \$4.99  
Hooks fit mini engines (one), regular and D engines (three) and E engines (two). Includes spacer for E engine hooks.
- 303158 REGULAR ENGINE MOUNT KIT** \$6.99  
Fits BT-50, 55 and 60 tubes. Can also be used to make a conversion mount for lightweight D powered rockets.
- 303159 D AND E ENGINE MOUNT KIT** \$7.99  
Heavy duty engine mounts for D and E engines. Fits BT-55, 60 and 80 tubes.
- NOSE CONE ASSORTMENTS**  
Each package of nose cones contains a variety of shapes. Some are one piece, others two piece. All have eyelets for shock cord and shroud line attachments.
- 303160 NC-5 NOSE CONE ASSORTMENT (5 pack)** \$4.99
- 303161 NC-20 NOSE CONE ASSORTMENT (4 pack)** \$4.99
- 303162 NC-50 NOSE CONE ASSORTMENT (5 pack)** \$5.99
- 303163 NC-55 NOSE CONE ASSORTMENT (4 pack)** \$6.99
- 303164 NC-56 NOSE CONE ASSORTMENT (4 pack)** \$6.99
- 303165 NC-60A NOSE CONE ASSORTMENT (4 pack)** \$7.99
- 303168 NC-80B NOSE CONE (1 pack)** \$3.99
- 303196 Large Tube Coupler Pack** \$6.49  
Includes two couplers for BT-55, BT-56 and BT-60; One for BT-80.

## BODY TUBES

High quality spiral wound paper tubes. Use tube couplers to connect tubes of the same diameter. Four tubes per package with BT-5 & BT-20, three per package with BT-50, BT-55 and BT-60 and two per package in BT-80.

Product Number	Body Tube Size	Inside Dimension in./mm	Outside Dimension in./mm	Length in./cm	Retail Price
303084	BT-5	.52/13	.54/14	18.0/45.7	\$6.99
303085	BT-20	.71/18	.74/19	18.0/45.7	\$7.49
303086	BT-50	.95/24	.98/25	18.0/45.7	\$7.49
303087	BT-55	1.28/33	1.33/34	18.0/45.7	\$7.99
303089	BT-60	1.60/41	1.64/42	18.0/45.7	\$8.49
303090	BT-80	2.56/65	2.60/66	14.2/36.1	\$7.99





## GET YOUNG PEOPLE EXCITED ABOUT LEARNING!

Inspiring students and young people – that’s what Estes Educator is here to do! Just log onto EstesEducator.com to find everything you need for your classroom or youth organization. We’ve made it easy to bring the fun of model rockets to your students.



- Free lesson plans
- Automated list of items needed
- Links to funding and grants
- Extensive resource materials
- Special Discount Bulk Packs

### Estes Makes it EASY!

“Estes model rockets are the best hands-on activity I have ever done with my students!”

## FREE LESSON PLANS ONLINE

Use the handy pull-down menus to:

- Choose a grade level
- Choose a subject
- Choose the number of classroom sessions

The perfectly matched lesson plan will be displayed!



*All matched to National Learning Standards*

## AUTOMATED LIST OF ITEMS NEEDED

After choosing a lesson plan, just enter the number of students and our website will automatically display a list of recommended rockets and accessories. We’ve removed the guesswork and determined the best, most budget-friendly choices for you.


## LINKS TO FUNDING

We’ve located a number of organizations that support teaching with model rockets. From EstesEducator.com, you can link directly to funding opportunities to get the application process started. Many are easy to request and you can expect a response quickly.

## EXTENSIVE RESOURCES ONLINE

In addition to free lesson plans, we have many resources available and easily accessed. At EstesEducator.com you can find useful information about:

- How to Choose a Launch Site
- The Basics of Model Rocketry
- Reference Guide for Teachers and Youth Group Leaders
- Worksheets for the Classroom
- Videos, Curricula and much more



ESTES EDUCATOR™



## SPECIAL BULK PACKS FOR EDUCATORS

Estes offers 12- and 24-piece discount Bulk Packs especially for educators and youth group leaders. Bulk Packs are available for a variety of rockets, including E2X® Easy To Assemble Rockets and Skill Level 1 Rocket Kits. (Rocket Engines, Recovery Wadding, Igniters and Igniter Plugs are sold separately.)

## E2X® EASY TO ASSEMBLE BULK PACK ROCKETS

E2X® Kits can be assembled in about one hour. Simply glue the parts together according to the instructions, apply decals and attach the parachute. They require no special tools or painting.



**1751 Alpha III E2X®**  
**\$109.99 (12-pack)**  
Length: 12.3 in (21.2 cm)  
Recommended Engines:  
1/2A6-2, A8-3, A8-5, B4-4, B6-4, B6-6, C6-5, C6-7

**1764 Generic E2X®**  
**\$99.99 (12-pack)**  
Length: 15 in (38.1 cm)  
Recommended Engines:  
1/2A6-2, A8-3, A8-5, B4-4, B6-4, B6-6, C6-5, C6-7


**1792 Firestreak SST E2X®**  
**\$169.99 (24-pack)**  
Length: 10.2 in (25.9 cm)  
Quick Snap – No gluing!  
Recommended Engines:  
1/2A3-2T, A3-4T, A10-3T

**1793 UP Aerospace SpaceLoft E2X®**  
**\$59.99 (12-pack)**  
Length: 12.5 in (31.8 cm)  
Recommended Engines:  
1/2A3-2T, 1/2A3-4T, A3-4T, A10-3T



## SKILL LEVEL 1 BULK PACK ROCKET KITS

Skill Level 1 Rocket Kits require more model building and decorating. Most can be built in less than two hours and require fins to be assembled and some painting.



**1754 Wizard**  
**\$69.99 (12-pack)**  
Skill Level 1  
Length: 12 in (30.5 cm)  
Recommended Engines:  
1/2A6-2, A8-3, A8-5, B4-4, B6-4, B6-6, C6-5, C6-7

**1755 Viking**  
**\$59.99 (12-pack)**  
Skill Level 1  
Length: 12.1 in (30.7 cm)  
Recommended Engines:  
1/2A6-2, A8-3, A8-5, B4-4, B6-4, B6-6, C6-5, C6-7

**1756 Alpha**  
**\$99.99 (12-pack)**  
Skill Level 1  
Length: 12.3 in (31.2 cm)  
Recommended Engines:  
1/2A6-2, A8-3, A8-5, B4-4, B6-4, B6-6, C6-5, C6-7

## ROCKET ENGINE BULK PACKS

Every launch requires Engines, Recovery Wadding, Igniters and Igniter Plugs. These convenient Engine Bulk Packs include enough of each for 24 launches. Choose from a variety of engine sizes. We advise using the smallest recommended engine for first flights.



1781	A8-3 Engines (24).....	\$65.99
1783	B6-4 Engines (24).....	\$66.99
1784	B6-0/B6-6 Engines (12 each).....	\$73.99
1788	½ A3-4T Engines (24).....	\$52.99
1789	C6-5 Engines (24).....	\$77.99
1672	Blast-Off Variety Flight Pack.....	\$64.99
	(6 each of A8-3, B6-4, C6-3 & C6-5)	

## LAUNCH EQUIPMENT

For first time flights you'll need launch equipment, which can be re-used launch after launch. We recommend choosing a Launch Set, as shown on pages 12 to 15 of this catalog. With each Launch Set you get the Launch Controller, Launch Pad, plus a rocket for the teacher.

## USEFUL CLASSROOM TOOLS

302232	AltiTrak™ Altitude Finder .....	\$19.99
302227	Tube Marking Guide .....	\$9.99
302231	Fin Alignment Guide .....	\$19.99





*Look for these exciting  
new rockets in 2011!*



www.  
**estes**  
**rockets**  
com