THOY

192-193 CATALOG

Robert Turner's Falco

Tiffany Hobbies of Ypsilanti would like to welcome you to our 1992 - 1993 catalog. In this catalog you will find our company's collection of high-quality, high-tech kits and rocket parts. We have kits that are designed for the beginner as well as advanced rocketeers.

New kits for 1992 are:

- •Ruff
- Jaeger
- Hornet
- Accentor
- •Condor

Most of Tiffany Hobbies kits now include a motor adapter.

Allowing the rocketeer to use a broad range of rocket motors.

All Tiffany Hobbies kits include the following:

- Heavy duty motor mounts
- •High strength body tubes
- •Body tubes are pre-marked for fin slots
- •High quality launch lugs
- Plastic nose cones
- Pre-cut aircraft grade plywood fins
- High quality plywood centering rings
- Elastic shock cords sewn to a braided steel shock cord mount cable
- •Rip-stop nylon parachutes with a small shock cord sewn on
- •Fin mounting through-the-wall to the motor mount
- Complete easy to follow instructions

Not included in these kits are motors, finishing supplies, adhesives, and launch systems.

Thank you very much for your interest.

HEAVY DUTY LAUNCH PAD



This launch pad has been designed for a 1/4" or 1/2" launch rod. The angle of the launch rod is adjustable. The legs can be collapsed for storage. Comes with a 5" x 7" blast deflector.

Note: Launch rod and rocket sold separately

Stainless Steel Launch Rod 1/2" or 1/4"

1/4"Diameter, 6' Length Catalog # LR-.25-6

1/2"Diameter, 6' Length Catalog # LR-.5-6

Ask for our catalog covering advanced rocketry building materials

NIGHT HAWK

The Night Hawk May be loaded with up to seven motors for peak performance. The kit features fast assembly, seven motor tubes, 36" Ripstop Nylon Parachute, Payload Section, Plastic Nose cone, 1/2" Launch Lug, and Precut Plywood fins.

Recommended Motors:

(1)G64-4W, (1)G80-4T

or (3)G80-10T or (7)F25-12

Length-58in.

Approximate Weight-31oz.

Diameter-3.9in.

FALCON

When this rocket blasts off you can almost feel the ground shake. The falcon features easy assembly, 54mm motor mount, big 36" parachute, and a 17" Payload tube.

Recommended Motors: G64-4W, G40-4W, G80-4T, I65-10, J125-10

Approximate Weight-30oz. Length-74in. Diameter-3.9in.

PHOENIX

The Phoenix is a semiscale model of an airto-air missile.

Features 38mm motor mount, 29mm motor mount adapter, scale decals, and as all THOY kits through-the-wall fin mounting.

Recommended Motors: G80-4T

Approximate Weight-45oz. Length-46 in. Diameter-3.9 in.

Fun to build and fun to fly. Features fast assemble, sporty appearance, and economical 24mm. motors.

Recommended Motors: D12-5, D15-7T, F39-9T

Length-26 in. Diameter-1.5 in.

WASP

This near minimum diameter rocket is capable of exceeding MACH ONE. Features 18" parachute, 29mm motor mount, and a 24mm motor adapter.

Recommended Motors: 24mm Motors: D15-7T, E11-5J, E15-4W, E30-4T, F24-4W, F39-29mm Motors:

> E16-4W, F14-6J, F22-7J, F40-7W, F50-9T, F52-8T, G33-7J, G64-10W, G80-10T

> > Approximate Weight-10 oz. Length-43 in., Diameter-1.5 in.

> > > This sporty little flier uses low-cost 24mm, motors. Features fast assembly, parachute recovery, and flight-after- flight fun.

> > > > Recommended Motors: D12-5, D15-7T, E11-5J, E15-7W, E28-7T, E30-7T, F24-4W, F39-9T

Approximate Weight-8 oz. Length-23 in. Diameter -2.6 in.

ROBIN

E11-5J, E15-4W, E28-7T, E30-7T, F24-4W,

Approximate Weight-9 oz.

Recommended Motors: 24mm Motors: D15-7T, E11-5J, E15-4W, E30-4T, F24-4W. F39-9T

G80-10T

29mm Motors: E16-4W, F14-6J, F22-7J, F40-7W, F50-9T, F52-8T, G33-7J, G64-10W,

> Approximate Weight-10 oz., Length-43 in., Diameter-1.5 in.

RUFF

all about. Features 18" parachute,

29mm motor mount, and a

24mm motor adapter. The

rockets.

strongest, high flying

Ruff is one of our

High performance is what the Ruff is

WREN

JAEGER

Jaeger-sleek, sporty, and easy to build. Features 18" parachute, 29mm motor mount, 24mm motor adapter, and a 17" payload tube.

Recommended Motors: 24mm Motors: E15-4W, E30-4T, F24-4W, F39-9T 29mm Motors: E16-4W, F22-7J, F40-7W, F50-9T, F52-8T, G64-10W, G80-10T

Approximate Weight-10 oz. Length-43 in.

Diameter-1.5 in.

IBIS

The Ibis is a futuristic looking rock et. With a 10" payload section and a 29mm. motor mount.

Recommended Motors: 24mm Motors F12-3J, F39-6T 29mm Motors F25-6W, F40-7W, F50-6T, F52-8T, G33-5J, G64-7W, G80-7, H55-10, H70-10, H120-10

> Approximate Weight-18oz Length-58in. Diameter-2.6in.

SNIPE

The Snipe is a high performance sport rocket capable of achieving high altitude with a payload. The Snipe uses three 24mm motors.

Recommended Motors:

- (3) D12-3, (3) D15-7T, (3) E11-5J.
- (3) E15-7W, (3) E18-7W, (3) E28-7W,
- (3) E30-7T, (3) F24-7W, (3) F39-12T

Approximate Weight-18 oz., Length-59 in. Diameter-2.6 in.

SPARROW HAWK

The Sparrow Hawk is a good kit for the beginner as well as the advanced rocketeer.

Recommended Motors: 24mm Motors E11-3J, E15-4W, E18-4W, E28-4T, E30-4T,

F24-4W, F39-6T

29mm Motors F14-4J, F22-5J, F25-6W, F40-7W, F50-6T, F52-8T, G33-5J, G40-7W, G64-7W, G80-10T

Approximate Weight-14oz. Length-43in.

Diameter-2.6in.

PEACOCK

The spectators will stand in awe as the Peacock bolts into the sky. This is a very stable flying rocket that can achieve very high altitude. This rocket is appropriate for beginners as well as the more advanced rocketeers.

Recommended Motors: 24mm Motors F12-3J, F39-6T 29mm Motors F25-6W, F40-7W, F50-6T, F52-8T, G33-5J, G64-7W, G80-7, H55-10, H70-10, H120-10

Approximate Weight-20oz., Length-53 in., Diameter-2.6 in.



HORNET

High performance and outstanding flights.
Featuring fin mounting, 29mm motor mount,
24mm motor adapter, and 24" parachute.

Recommended Motors:

24mm Motors

D15-4T, E15-4W, E18-4W, E28-4T, E30-4T, F39-6T

29mm Motors

F25-6W, F40-7W, F52-8T, G33-5J, G64-7W, G80-10T

Approximate Weight-14oz. Length-44in. Diameter-2.6in.

ACCENTOR

This sporty flier stands over 4 feet tall. Making outstanding flights with a 24mm or 29mm motor. Using a 28" fluorescent orange parachute makes it easy to spot in the sky.

Recommended Motors: 24mm Motors F12-3J, F39-6T

29mm Motors F25-6W, F40-7W, F50-6T, F52-8T, G33-5J, G64-7W, G80-7, H55-10, H70-10, H120-10 Approximate Weight-20oz. Length-53 in., Diameter-2.6 in.

CONDOR

This 4 foot 10 inch tall rocket makes outrageous flights. This high performance rocket uses one 29mm motor. The Condor will make you excel in rocketry.

Recommended Motors: 24mm Motors F12-3J, F39-6T 29mm Motors F25-6W, F40-7W, F50-6T, F52-8T, G33-5J, G64-7W, G80-7, H55-10, H70-10, H120-10

Approximate Weight-18 oz., Length-58 in., Diameter-2.6 in.

				DESCRIPTION	AND SPECS		
KIT NAME	DIAM	LNGTH("s)	WT	CHUTE("s)	SH CORD	MMT	MOTORS
5.5" SKYRAIDER					kits. This rocket is sin gie, 3/16" ply fins, fib		ht-forward, yet has many quality
	5.5	66	6 lbs	60	15' 3/8" bungie	54mm	H242-6*,I161-6*,I357-8*,J275-10
7.6" SKYRAIDER					absolute stability. Lot		th 1-54mm and 2-38mm outboards.
	7.6	89	12 lbs	72	25' / 3/8" bungie	1-54 + 2-38	1284-6*,1500-6*,J460-8,J415-10
2.6" STANDARD ARM	The 2.6" ARI	M is a semi-scale n			Radiation Missile). A		ng "G" motor produces a realistic
	2.6	43	24 oz	24	8' / 1/8" bungie	29mm	F25-6,F50-6,G40-7,G64-7
4" STANDARD ARM	4	Altitudes 67	of over 3000 feet a	re easily attained v	with "I" class motors. 9' / 1/4" bungie	FIRM mount is 54mm	H180-6*,H238-6*,I211-10*,I220-10
5.5" STANDARD ARM					e. very impressive roose cone. Flights to ov		nodel can be boosted on as little as ossible with a K550!
	5.5	92	10.5 lbs	84	25' / 3/8" bungie	1-54 + 4-29	I284-6,J415-10,K550-10
7.6" STANDARD ARM							ARM utilizes the FIRM mount.
	7.6	119	20 lbs	120	25' / 1/2" bungie	5-54	single K550-8,single K1100-10
1.5" STILETTO	This 38mm				G40-7. 17" payload so		ard. Fins are surface mounted. Streak motors.
	1.52	59	20 oz	24	8' / 1/8" bungie	38mm	F25-6*,G40-7*,G160-9
2.6" STRATTO BLASTER	The Stratto	Blaster is a small s			hts on E, F, and G mo		of 2200 feet are expected on a
	2.6	28	12 oz	24	3' / 1/8" bungie	29mm	D12-3*,E15-4*,F100-6*,G80-10
		100	NAME OF TAXABLE PARTY.		Section in the last of the las		Name and Address of the Owner, where the Control of

FIRM

FIN with INTERNAL ROOT MOUNT. This system mounts the root edge of the fin into channel structure on the motor tube, producing a high strength fin unit.

*Before ordering, please note that a motor adapter may be required.

Altitude projections determined with Rogers Aeroscience software. All weights are approximations.

Prices and specifications are subject to change.

G-10 fins are now optional - available at a slightly higher price.

ROCKET R & D

kits formerly known as 'CLUSTER R'

KIT NAME				DESCRIPTION	AND SPECS		
KII NAME	DIAM	LNGTH("'s)	WT	CHUTE("'s)	SH CORD	ммт	MOTORS
2.6" ARMY HAWK	This sem		Hawk surface-to-air			a white colum	n of smoke and flame when
	2.6	43	24 oz	24	9' / 1/8" bungie	29mm	F25-6,F50-6,G40-7,G64-7
4" ARMY HAWK	This model	of the Hawk SAM flie			et on an "I" motor. Sta		motor mount allows for a wide
	4	67	4.75 lbs	44	15' / 1/4" bungie	54mm	H180-6*,H238-6*,I211-8*,I220-10
2.6" JAYHAWK	т	he Jayhawk (2.6) is			hawk target drone. To		the Stratto Biaster.
	2.6	36	13 oz	24	6' / 1/8" bungie	29mm	E15-4*,F25-6
4" JAYHAWK	The 4" Jay				is rocket, utilizing 1/8		wood and FIRM fin mounts,
	4	50	36 oz	36	15' / 3/16" bungie	38mm	G104-6*,G80-4*,H128-8*
.6" NAVY STRIKE	The 2.6" N	Navy Strike, with its r			splay with "H" sized to		g motors. This rocket flies to
4 100	2.6	58	35 oz	30	10' / 3/16" bungie	38mm	G80-4*.G104-6*,H128-8*.G160-7
4" NAVY STRIKE			al eve catcher! Two	stage appearanc	e and strakes enhan	ce this rocket's	s visual appeal. Flights to over
4 MAVI SIRINE							ket is SINGLE STAGE.
	2500 4 The Sandhaw	feet are attained wit 84 /k is a semi scale mo	h full "I" or low end 4.75 lbs odel of the Sandia S	"J" motors. FIRM 44 Sandhawk soundii	mount is standard. N 15' / 1/4" bungie	54mm	ket is SINGLE STAGE.
	2500 4 The Sandhaw	feet are attained wit 84 /k is a semi scale mo	h full "I" or low end 4.75 lbs odel of the Sandia S	"J" motors. FIRM 44 Sandhawk soundii	mount is standard. N 15' / 1/4" bungie	54mm	eket is SINGLE STAGE. H180-6*,H238-6*,I211-8*,J180-10 extremely stable. 38mm mount
	The Sandhaw allows to 2.6	feet are attained with 84 / 84 / 84 / 84 / 84 / 84 / 85 / 85 /	h full "I" or low end 4.75 lbs odel of the Sandia S er Streak motors. Fi 29 oz	"J" motors. FIRM 44 Sandhawk sounding ights to 2500 feet 30 is impressive at 7	mount is standard. N 15' / 1/4" bungie ng rocket. This long. are possible with a r 10' / 3/16" bungie	54mm sleek rocket is mid "H" motor. 38mm	extremely stable. 38mm mount FIRM mount is standard. F50-4*.G40-4*,G64-7*,H128-10* e no problem for this bird.
2.6" SANDHAWK	The Sandhaw allows to 2.6	feet are attained with 84 / 84 / 84 / 84 / 84 / 84 / 85 / 85 /	h full "I" or low end 4.75 lbs odel of the Sandia S er Streak motors. Fi 29 oz	"J" motors. FIRM 44 Sandhawk sounding ights to 2500 feet 30 is impressive at 7	mount is standard. No. 15' / 1/4" bungle Ingrocket. This long. It are possible with a reconstitution of the standard of the s	54mm sleek rocket is mid "H" motor. 38mm	extremely stable. 38mm mount FIRM mount is standard. F50-4*,G40-4*,G64-7*,H128-10* e no problem for this bird.
2.6" SANDHAWK 4" SANDHAWK	2500 4 The Sandhaw allows to 2.6 This ve	feet are attained with 84 We is a semi scale months as the use of G160 Silver 58 rsion of the Sandhav The 4" S 84 large rockets, you'll fin tab is mounted into the sandhave the sandhav	h full "I" or low end 4.75 lbs odel of the Sandia S er Streak motors. Fl 29 oz wk sounding rocket Sandhawk will 3300 4.75 lbs	"J" motors. FIRM 44 Sandhawk sounding ights to 2500 feet 30 is impressive at 7 feet on an Aerote 48 and over 9 feet tall, mounts. Nose corrections.	mount is standard. No 15' / 1/4" bungle on procket. This long. It are possible with a received by 10' / 3/16" bungle on J180-10. FIRM find 15' / 1/4" bungle this model of the Sale is a gelcoated, fiber	Sleek rocket is mid "H" motor. 38mm "J" motors are mount is stated to the state of the state o	extremely stable. 38mm mount FIRM mount is standard. F50-4*,G40-4*,G64-7*,H128-10* endard.
2.6" SANDHAWK	2500 4 The Sandhaw allows to 2.6 This ve	feet are attained with 84 We is a semi scale months as the use of G160 Silver 58 rsion of the Sandhav The 4" S 84 large rockets, you'll fin tab is mounted into the sandhave the sandhav	h full "I" or low end 4.75 lbs odel of the Sandia S er Streak motors. Fl 29 oz wk sounding rocket Sandhawk will 3300 4.75 lbs	"J" motors. FIRM 44 Sandhawk sounding ights to 2500 feet 30 is impressive at 7 feet on an Aerote 48 and over 9 feet tall, mounts. Nose corrections.	mount is standard. No 15' / 1/4" bungle on procket. This long. It are possible with a received by 10' / 3/16" bungle on J180-10. FIRM find 15' / 1/4" bungle this model of the Sale is a gelcoated, fiber	Sleek rocket is mid "H" motor. 38mm "J" motors are mount is stated to the state of the state o	extremely stable. 38mm mount FIRM mount is standard. F50-4*,G40-4*,G64-7*,H128-10* e no problem for this bird. hdard. H180-6*,H238-6*,I211-8*,I220-10* ek is sure to impress your friends. The tube is pre-slotted
2.6" SANDHAWK 4" SANDHAWK	2500 4 The Sandhaw allows to 2.6 This ve 4 If you like very The to as with 5.5	feet are attained with 84 Whis a semi scale months are of G160 Silver 58 rsion of the Sandhaw The 4" S 84 large rockets, you'll fin tab is mounted into the lall other "Cluster F 111 e Sergeant Missile results and the state of the same state o	h full "I" or low end 4.75 lbs odel of the Sandia S er Streak motors. Fl 29 oz wk sounding rocket Sandhawk will 3300 4.75 lbs love this kit! Standir to hardwood FIRM r 15 lbs eally loves "G" motor	"J" motors. FIRM 44 Sandhawk sounding ights to 2500 feet and an Aerote 48 ag over 9 feet tall, mounts. Nose confirm mounts. Flight per series and per ser	mount is standard. No 15' / 1/4" bungle on grocket. This long. It are possible with a received feet tall. "H", "I" and each J180-10. FIRM find 15' / 1/4" bungle this model of the Salve is a gelcoated, fibe ghts to over 3500 feed 20' / 3/8" bungle	Sleek rocket is mid "H" motor. 38mm "J" motors are no mount is star 54mm ndia Sandhaw erglass beauty thare possible 1-54 + 2-29	extremely stable. 38mm mount FIRM mount is standard. F50-4*,G40-4*,G64-7*,H128-10* en o problem for this bird. hdard. H180-6*,H238-6*,I211-8*,I220-10* ek is sure to impress your friends. The tube is pre-slotted with an Aerotech K550. J415-8,K550-10 et on a G160 Silver Streak motor.

FIRM

FIN with INTERNAL ROOT MOUNT. This system mounts the root edge of the fin into channel structure on the motor tube, producing a high strength fin unit.

* Before ordering, please note that a motor adapter may be required.

Altitude projections determined with Rogers Aeroscience software. All weights are approximations.

Prices and specifications are subject to change.

G-10 fins are now optional - available at a slightly higher price

ROCKET R & D

kits formerly known as 'CLUSTER R'

ROCKET R&D

THOY / CLUSTER R

308 E. Elm St. Urbana, IL 61801 phone 217/344-2449 fax 217/344-0327

prices and availability are subject to change without notice prices effective 1 June 95

KIT NAME	DIAM	LGN/IN	MMT	PRICE	MTR ADPTR INCLUDED	DECALS INCLUDED	SLOTTED TUBE
JAEGER	1.5	59	1-29	38.95	Y		
ROBIN	1.5	25	1-24	28.95			
RUFF	1.5	42	1-29	35.95	Y		
STILETTO	1.5	59	0	23.00			
WASP	1.5	42	1-29	35.95	Y		
ACCENTOR	2.6	53	1-29	41.95	Y		
ARMY HAWK	2.6	43	1-29	32.50			Y
CONDOR	2.6	58	1-29	43.95	Y		表现 基
HORNET	2.6	43	1-29	33.95	Y		
IBIS	2.6	53	1-29	44.95	Y		
JAYHAWK	2.6	36	1-29	29.00			
NAVY STRIKE	2.6	58	1-29	38.50			Y
PEACOCK	2.6	53	1-29	42.95	Y		
SANDHAWK	2.6	58	1-38	38.50			Y
SNIPE	2.6	58	3-24	43.95			
SPARROW HAWK	2.6	43	1-29	33.95	Y		
STANDARD ARM	2.6	43	1-29	32.50			Y
STRATTO BLASTER	2.6	28	1-29	24.00			
WREN	2.6	23	1-24	26.95			
SERGEANT	3.1	45	1-38	38.50			Y
AEROBEE HI	3.9	75	1-54	82.50		Y	Y
ARCAS	3.9	95	1-54	89.00		Y	Y
ARCON	3.9	95	1-54	87.00		Y	Y
ARMY HAWK	3.9	67	1-54	78.00			Y
ASP - 4	3.9	84	1-54	88.50		Y	Y
BRUTUS	3.9	52	1-38	60.00		Y	Y
BRUTUS EXT	3.9	61	1-54	69.00		Y	Y
CORPORAL	3.9	84	1-54	87.50		Y	Y
FALCON	3.9	67	1-54	73.95	Y-2		
IRIS	3.9	67	1-38	73.95	1-2	Y	Y
JAYHAWK	3.9	50	1-38	58.00			Y
NAVY STRIKE	3.9	84	1-54	93.00			Y
NIGHT HAWK	3.9	61	7-29	76.95			
PHOENIX	3.9	46	1-38	76.95	Y	Y	
SANDHAWK	3.9	84	1-54	93.00			Y
SKYRAIDER	3.9	67	1-54	70.00		Υ	Y
STANDARD ARM	3.9	67	1-54	78.00			Y
WAC CORPORAL	3.9	67	1-54	79.00		Υ	Y
ASP - 5	5.5	141	1-54 + 4-29	179.00		Υ	Y
BIG BRUTUS	5.5	111	1-54 + 4-29	150.00		Υ	Y
MIGHTY FALCON	5.5	96	1-54 + 3-29	140.00		Υ	Y
SANDHAWK	5.5	111	1-54 + 2-29	185.00			Y
SKYRAIDER	5.5	66	1-54	125.00		Υ	Υ
STANDARD ARM	5.5	92	1-54 + 4-29	169.50			Y
SKYRAIDER	7.6	89	1-54 + 2-38	175.00		Υ	Υ
STANDARD ARM	7.6	119	5-54	245.00			Y

Want a different motor mount? Just ask. There may be a small additional charge for different components, but if it's physically possible, we can do it!

We slot each tube manually, as it's ordered. These are not die cut slots. If you would prefer to slot your own tube, please specify when ordering.

Quick Cure Mid Cure Slow Cure Ex-Slow Cure Finish Cure (4.5 oz.) STICKY AC Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	4.39 4.75 9.75 9.75 4.45 2.50 EPOXIES 9.25 9.25 9.00 9.00 6.25		
Insta-Cure + 1 oz. Maxi-Cure 1 oz. Super Gold 1 oz. Super Gold + 1 oz. Insta-Set Spray 2 oz. Un-Cure Debonder 1 oz. 9 oz. E Quick Cure Mid Cure Slow Cure Ex-Slow Cure Ex-Slow Cure Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	4.39 4.75 9.75 9.75 4.45 2.50 EPOXIES 9.25 9.25 9.00 9.00 6.25 CCESSORII 1.35 0.20 0.40	ES	
Maxi-Cure 1 oz. Super Gold 1 oz. Super Gold + 1 oz. Insta-Set Spray 2 oz. Un-Cure Debonder 1 oz. 9 oz. E Quick Cure Mid Cure Slow Cure Ex-Slow Cure Finish Cure (4.5 oz.) STICKY AC Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	4.75 9.75 9.75 4.45 2.50 EPOXIES 9.25 9.25 9.00 9.00 6.25 CCESSORII 1.35 0.20 0.40	ES	
Super Gold 1 oz. Super Gold + 1 oz. Insta-Set Spray 2 oz. Un-Cure Debonder 1 oz. 9 oz. E Quick Cure Mid Cure Slow Cure Ex-Slow Cure Finish Cure (4.5 oz.) STICKY AC Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	9.75 9.75 4.45 2.50 POXIES 9.25 9.25 9.00 6.25 CCESSORII 1.35 0.20 0.40	ES .	
Super Gold + 1 oz. Insta-Set Spray 2 oz. Un-Cure Debonder 1 oz. 9 oz. E Quick Cure Mid Cure Slow Cure Ex-Slow Cure Finish Cure (4.5 oz.) STICKY AC Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	9.75 4.45 2.50 POXIES 9.25 9.25 9.00 6.25 CCESSORII 1.35 0.20 0.40	ES.	
Insta-Set Spray 2 oz. Un-Cure Debonder 1 oz. 9 oz. E Quick Cure Mid Cure Slow Cure Ex-Slow Cure Finish Cure (4.5 oz.) STICKY AC Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	4.45 2.50 POXIES 9.25 9.25 9.00 9.00 6.25 CCESSORII 1.35 0.20 0.40	ES.	
Un-Cure Debonder 1 oz. 9 oz. E Quick Cure Mid Cure Slow Cure Ex-Slow Cure Finish Cure (4.5 oz.) STICKY AC Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	2.50 POXIES 9.25 9.25 9.00 9.00 6.25 CCESSORII 1.35 0.20 0.40	≣S.	
Quick Cure Mid Cure Slow Cure Ex-Slow Cure Finish Cure (4.5 oz.) STICKY AC Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	9.25 9.25 9.00 9.00 6.25 CCESSORII 1.35 0.20	ES.	
Quick Cure Mid Cure Slow Cure Ex-Slow Cure Finish Cure (4.5 oz.) STICKY AC Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	9.25 9.25 9.00 9.00 6.25 CCESSORII 1.35 0.20 0.40	ES .	
Mid Cure Slow Cure Ex-Slow Cure Finish Cure (4.5 oz.) STICKY AC Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	9.25 9.00 9.00 6.25 CCESSORII 1.35 0.20 0.40	≣S .	
Slow Cure Ex-Slow Cure Finish Cure (4.5 oz.) STICKY AC Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	9.00 9.00 6.25 CCESSORII 1.35 0.20 0.40	ES .	
Ex-Slow Cure Finish Cure (4.5 oz.) STICKY AC Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	9.00 6.25 CCESSORII 1.35 0.20 0.40	≣S.	
Finish Cure (4.5 oz.) STICKY AC Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	6.25 CCESSORII 1.35 0.20 0.40	ES .	
STICKY AC Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	1.35 0.20 0.40	≣S .	
Extender Tips for CA (6) Ex-long Extender Tips @ Top for CA bottle	1.35 0.20 0.40	ES .	
Ex-long Extender Tips @ Top for CA bottle	0.20		
Top for CA bottle	0.40		-
	0.39		
Non-clog CA applicator*	The same of the sa		
*regular tip			
Non-clog CA applicator*	0.39		
* fine tip			
		1 1	
Unassembled strobe kits	12.95		
*limited quantity			
THINGS WITH	SHARP FO	GES	
Lt duty Snap Blade Knife	0.95		
Hvy duty Snap Blade Knife	1.30		
Lt duty Knife	1.30		
	1.60		
Med duty Knife			
Hvy duty Knife	2.10		
Stainless Steel Ruler	2.90		
Half round File	1.45		
t duty Blades (5)	0.95		
t duty Blades (100)	12.75		
Hvy duty Blades (5)	1.10		
Hvy duty Blades (100)	17.45		
Small tip Saw Blade	2.10		
Med tip Saw Blade	2.95		
rg Pullout Saw Blade	2.10		
Hobby Knife Set	13.15		
PUTTIN' IT TOG		ANGS	
Mixing Cups (100)	3.95		
Mixing Sticks (50)	1.95		
Clean Wipes (50)	2.45		
MISCELLANEO	US TYPE S	TUFF	
RMS 18/20 motor	30.95		
NEW* 13 oz. Finish Cure	11.75		
"Copperheads (6 pak)	2.85		
"Copperheads (6 pak)	3.10		
gniter Clip	3.10		
RR&D cap "High Places"	6.00		
RR&D T-shirts (med only)	10.00		
NYLON SHOCK		HOBS	
Small 5/16" x 45"		HUKS	
arge 3/4" x 45"	0.75 1.75		

RR&D T-shirts (med only)	10.00	
NYLON SHOCK	CORD AN	ICHORS
Small 5/16" x 45"	0.75	
Large 3/4" x 47"	1.75	
BACK ISS		R
call for availability	4.00	
NEW LONG JOHNS	5.00	32" length of 3.9
tube coupler! Beef up any 4" pr		d abanalia andl

PRODUCT	PRICE	QTY	TOTAL
LUGS AND	CHUTES		13
1/4" Lug ea	0.20		181
1/2" Lug ea	0.30		Presi
tucia bas seong			
18" chute	5.50		
24" chute	7.50		
28" chute	8.95		
30" chute	9.95		
36" chute	13.50		
44" chute	15.95		
48" chute	18.00		
60" chute	26.00		
72" chute	34.50		
84" chute	43.75		
96" chute	55.00		
108" chute	65.00		
120" chute	75.00		
NOSE CONES AND N	OTOR ADA	PTERS	3
1.5" x 8" Solid Balsa	7.95		
2.6" x 13" Molded Plastic	6.95		
3.9" x 16" Molded Plastic	12.95		- 136
5.5" x 21" Gelcoated Fiberglass			
white	48.00		
black	51.00	-	
7.6" x 29" Gelcoated Fiberglass			
white	65.00		
black	69.00		
MA 29-24	1.75		
MA 38-29	3.00		
MA 54-29	3.80		
MA 54-38	3.65		
TUBE COU	PLERS		
couples 1.5" tubes	0.95		
couples 2.14" tubes	1.30		
couples 2.6" tubes	1.50		
couples 3.1" tubes	1.70		
couples 3.9" tubes	2.15		
couples 5.5" tubes	4.60		
couples 7.6" tubes	6.75		
PAYLOAD CO			
1.5"	1.95		
2.6"	2.50		
3.1"	3.10		
3.9"	3.75		
5.5"	8.00		
7.6"	10.00		
SHOCK CORD A		E	
1/4" / YD	1.25		
1/2" / YD	1.35		370
112 110	1.33		
1"/YD	1.95		
1-1/2" / YD	2.35		
1/8" Bungie / ft	0.12		
3/16" Bungie / ft	0.18		
1/4" Bungie / ft	0.24		
8/8" Bungie / ft	0.50		
I/2" Rungie /#	0.75	The second second	

prices effective 1 June 96 prices and availability are subject to change without notice

0.75

1/2" Bungie / ft

PRODUCT	PRICE	QTY	TOTAL
LUGS AND	CHUTES		
1/4" Lug ea	0.20		
1/2" Lug ea	0.30		Tres :
there bus about			
18" chute	5.50		
24" chute	7.50		
28" chute	8.95		
30" chute	9.95		
36" chute	13.50		
44" chute	15.95		
48" chute	18.00		
60" chute	26.00		
72" chute	34.50		
84" chute	43.75		
96" chute	55.00		
108" chute	65.00		
120" chute	75.00		
NOSE CONES AND N	OTOR ADA	PTERS	
1.5" x 8" Solid Balsa	7.95		
2.6" x 13" Molded Plastic	6.95		
3.9" x 16" Molded Plastic	12.95		
5.5" x 21" Gelcoated Fiberglass			
white	48.00		
black	51.00		
7.6" x 29" Gelcoated Fiberglass			
white	65.00		
black	69.00		
MA 29-24	1.75		
MA 38-29	3.00		
MA 54-29	3.80		
MA 54-38	3.65		
TUBE COU	PLERS		
couples 1.5" tubes	0.95		
couples 2.14" tubes	1.30		
couples 2.6" tubes	1.50		
couples 3.1" tubes	1.70		
couples 3.9" tubes	2.15		
couples 5.5" tubes	4.60		
couples 7.6" tubes	6.75		
PAYLOAD CO			
1.5"	1.95		
2.6"	2.50		
3.1"	3.10		
3.9"	3.75		
5.5"			
	8.00		
.6"	10.00		
SHOCK CORD A		=	L FAIR
/4" / YD	1.25		
/2" / YD	1.35		
"/YD	1.95		
710	1.90		
4/01/VD	0.05		
-1/2" / YD	2.35		
/8" Bungie / ft	0.12		
o bungle / it			

PRODUCT	PRICE	QTY	TOTAL		
CENTERING RINGS					
Just a	partial list				
CR 1.5 (1) 24mm	1.25				
CR 1.5 (1) 29mm	1.25				
CR 2.6 (1) 24mm	1.50	323			
CR 2.6 (1) 29mm	1.50		Tara .		
CR 2.6 (1) 38mm	1.50				
CR 2.6 (1) 54mm	1.50				
CR 2.6 (3) 24mm	1.65				
CR 3.9 (1) 29mm	2.20				
CR 3.9 (1) 38mm	2.20				
CR 3.9 (1) 54mm	2.20				
CR 3.9 (3) 29mm	2.35				
CR 3.9 (7) 29mm	2.35	136			
LOTS more ring	configurations	availab	le		

LOTS more ring confi	gurations ava	ailable
CR 5.5 (1) 54mm	4.75	
CR 5.5 (1) 54mm + (2) 29mm	5.50	12 13
CR 5.5 (1) 54mm + (4) 29mm	6.00	
CR 7.6 (1) 54mm	5.50	
CR 7.6 (1) 98mm	5.50	
CR 7.6 (1) 54mm + (2) 38mm	6.25	
CR 7.6 (1) 54mm + (4) 38mm	7.00	
CR 7.6 (5) 54mm	7.00	

TUDES TUDES TUDES TUDES

TUBES	TUBES	TUBES	TUBES
.95 (24mm) x 34"		2.75	
1.14 (29mm) x 34"		2.90	
1.52 (38mm) x 34"		3.40	1 1 20
2.14 (54mm) x 34"		4.60	
2.6" x 30" (brown)		3.50	
2.6" x 34" (white)		3.75	A STATE OF THE STA
3.1" x 34" (white)		5.15	183 40
3.9" x 34" (brown)		5.60	
3.9" x 34" (white)		5.80	
5.5" x 30" (white)		10.50	
5.5" x 60" (white)		19.25	
7.6" x 30" (white)		14.95	3,15,4
7.6" x 60" (white)		28.50	

\$000.01 - 150.00, add	6.00	
\$150.01 - 250.00, add	4.00	8 190
\$250.01 and over, add	2.00	The second

Orders which include 5.5" & 7.6" tubes or kits are over-sized, so please add \$10.75 instead of the table above. Orders including 4" or smaller kits or tubes, add \$1.50 to the table.

Sub-total	
IL residents, add 7.25%	
Shipping	
TOTAL	

We accept personal checks, but for faster service use your VISA or MASTERCARD, or remit money order. CASH COD's accepted.

You needn't return this form, just make sure we get all the following information:

NAME SHIP TO ADDRESS SHIP TO ADDRESS CITY, ST, ZIP DAYTIME PHONE

If using VISA or MASTERCARD, ALL the digits and EXPIRATION DATE.

ROCKET R&D THOY / CLUSTER R

308 E. Elm St. Urbana, IL 61801 phone 217/344-2449 fax 217/344-0327

Tiffany Hol

_J Ypsilanti

P.O. Be silanti, MI 48197 Phone 313-1-0847 Fax 313-484-4272